

- ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ :١٠٠٪
- ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ :١٠٠٪
- 105 * 28 :١٠٠٪mm / 1 ١٠٠٪
- ١٠٠٪: Heater PTC / ١٠٠٪ MCH ١٠٠٪ ١٠٠٪
- 270).°C240-130 ١٠٠٪ ١٠٠٪ ١٠٠٪ :١٠٠٪ (F-480F)
- ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ 6 :١٠٠٪ ١٠٠٪
- 120 :١٠٠٪V-240V 50/60 115 ١٠٠٪W91min) / 60W (١٠٠٪)
- ١٠٠٪ ١٠٠٪ 9 ١٠٠٪ :١٠٠٪ PVC / 2.65m ١٠٠٪ PVC ١٠٠٪ ١٠٠٪
- ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ ١٠٠٪ :١٠٠٪ BS ١٠٠٪ ١٠٠٪ PSE
- ١٠٠٪: CE ١٠٠٪ Rhos ١٠٠٪ CENLUS ١٠٠٪ CCC ١٠٠٪ CB ١٠٠٪ SAA



اسم الموديل: MMS-8223
 المواد: الحيوانات الأليفة

1000 pcs: موك.

الجهد المزدوج، 110V-220V، 50 / 60HZ، السلطة: 110

أقدام) الأسلاك البلاستيكية أو حسب الطلب (9 M الحبل: 360 درجة تشابك الحبل الدوران الحرة، 2.65-3 المكونات pse، سداة: الاتحاد الأوروبي التوصيل، الولايات المتحدة التوصيل، المملكة المتحدة التوصيل شهادة: CE, rhos, cetlus, ccc, cb

.قذيفة: الحقن التشطيب أو الانتهاء حسب متطلبات العملاء

MCH. أو سخانات PTC --- سخان: سخان عالية الجودة

240 إلى 480F / درجة حرارة الإعدادات: ما يصل إلى 240

(ثابت) 60W / 115W91min) / 50/60HZ، 115W91min) / 60W الطاقة: 120

/ محرك:

110V-240V مزدوج الجهد

تشابك الحبل قطب مجاني أو طول مخصص والمواد M حبل: 2.65

التوصيل، المملكة المتحدة التوصيل BS، التوصيل: الولايات المتحدة التوصيل، الاتحاد الأوروبي التوصيل

شهادة: CE, rhos, cetlus, ccc, cb ets

105 x 28 ملم حجم لوحة:

G. وزن: 380

قابلة للطي: لا



شعار: حسب الطلب

تسمية الأسلاك: حسب الطلب

التسمية الفنية: حسب الطلب

طرز: حسب الطلب

الأسواق الرئيسية: الغربية أوروبا، أمريكا الشمالية، آسيا، الشرق الأوسط

.عدد المصنع الموظفين: 80-150



MMS-8223 بيع التسويق نقاط

✓ نموذج لا MMS-8223 .:

✓ احترافي الحديد المسطح الشعر لاستخدام صالون مصمم السوائل --- استقامة وتصميم

✓ طبق الحجم: 105 * 28 ملليمتر = 1.1 بوصة

✓ تأكد من أن لوحات التدفئة العائمة التي يمكن أن تنزلق بها الشعر بسلاسة. 3D.

✓ MCH سخانات / سخانات PTC

✓ طبق جعل: شقة، المكشكش، على شكل ج، ش شكل، أي شكل تريده

✓ طبق مواد: نانو الفضة المصنوعة في كوريا السيراميك / نانو الفضة الدائم التيتانيوم / النسيج المبتكر / المواد ضوء الأشعة تحت

✓ الحمراء

✓ 240 °C / 470F --- 160, 180, 200, 220, 240 °C درجة حرارة المدى: ما يصل إلى

✓ 30 / 390F مع ارتفاع درجات الحرارة حتى 200 S سريع التسخين:

✓ أمان تصميم قفل

✓ تصميم تصميم LCD / digital.

✓ تبريد تلميح وتصميم مقبض التبريد

✓ التشابك مجانا M أو 3 M تدوير سلك الطاقة الدوران --- 2.65. 360.

✓ W. قوة: 60.

✓ التلقائي اغلاق - ساعة واحدة

✓ المتاحة ODM خدمة oem.

✓ فريق تطوير العفن، وخطوط التجميع، PCB الذات مملوكة فريق تصميم

✓ خدمة تصميم التعبئة والتغليف

✓ شعار خدمة التصميم

✓ عفن خدمة التنمية والتصميم

✓ خدمة التخصيص للمساعدة في بناء علامتك التجارية 100%.



التعبئة والتغليف توصيل:

<TD = "355" valign = "213.05 : " = "PT1.0 :pt: " 0CM 5.4PT 0CM 5.4PT ">

تفاصيل التعبئة:

<TD = "355" valign = "213.05 : " = "PT1.0 :pt: " 0 : :CM 5.4PT 0CM 5.4PT ">

* هدية مربع التعبئة

حجم * GB: 10.5x30x5.4cm

* 24pcs / ctn

* 44 حجم الكرتون: 31.5x34.5cm

* g.w: 16.2kgs

* n.w: 9.6kgs

* 1x20gp = 14500pcs

* 1x40gp = 29000pcs

<TD = "355" valign = "213.05 : " = "PT1.0 :pt: " 0 : :CM 5.4PT 0CM 5.4PT ">

توصيل التفاصيل:

أيام بعد الإيداع. 30.

كيفية استخدام:

استقامة الشعر، 1،

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف.

1. بدء مع تقسيم الشعر إلى خيوط لا يزيد عن 1/2 بوصة سميكة و 2 بوصة واسعة.
2. خذ واحدة قسم من الشعر في وقت ووضع الحديد على مقربة من الجذر ممكن و الانزلاق إلى النهايات دون توقف.
3. لا اسحب بسرعة كبيرة، استقامة كل قسم مرة واحدة وسوف تعطي ببطء نتيجة أفضل بكثير من استقامة كل قسم عدة مرات.
بسرعة.
4. يكرر هذه العملية حتى تكتمل جميع الأقسام.



إنشاء تجعيد الشعر والتقلب

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف.

1. بدء مع تقسيم الشعر إلى خيوط لا يزيد عن 1/2 بوصة سميكة و 2 بوصة واسعة.
2. ضع ال أيون بالقرب من الجذر قدر الإمكان والانزلاق من خلال الشعر ببطء في الحركة النزولية في وقت واحد التواء وتحول الحديد.
3. لا حليقة بسرعة كبيرة، تجعد كل قسم مرة واحدة وببطء سوف تعطي أفضل بكثير نتيجة من الشباك كل قسم عدة مرات بسرعة.
4. يكرر هذه العملية حتى تكتمل جميع الأقسام.



لماذا اخترتنا؟

- (2) 100% ضمان لمدة 10 سنوات. نحن نقدم أفضل خدمة عملاء في الصناعة.
- (4) نحن نقدم أفضل الأسعار في السوق.
- (6) نحن نقدم أفضل جودة في الصناعة.
- (8) نحن نقدم أفضل خدمة عملاء في الصناعة.





INJECTION MACHINES



MOULD MACHINE



MOULD SHOP



MOULDS2



AC power source 1



Electrical parameter tester



Electrical parameter tester



Life test machine



Power cord flexing test system



Salted steam testing machine



Voltage withstand tester



LOGO printing machine 2



AC power source 2

CERTIFICATION
Of Compliance

WSCT

Certificate No. **W SCT16050000121ES** Page **0001**

Brand Name **ASTRA** Order No. **WSCT-R&E-2016202** Document revision **1.0** Latest expiration date **17/05/2021 (day/month/year)**

Applicant information
Shenzhen Fashion Beauty Technology Co., Ltd.
Room 2023 Unit A, Building one, Mei Li Times Garden,
Interchange of Xi Xiang Road and Xia Hu Road Xi
Xiang Street, Baoan District Shenzhen China 518102

Manufacturing information
Dongguan Fashion Beauty Technology Co., Ltd.
Workshop Building 6, Huaifeng Road, Huaide
Community, Humen Town, Dongguan, Guangdong,
523506, P.R.China

Test Mark

Standard(s)	Test Report(s)	Issued By	Date(s)
EN 60335-2-23: 2000 + A1: 2008 + A11: 2010 + A2: 2015	WSCT-BA16050021A	WSCT	May 17, 2016
EN 60335-1: 2012 + A11: 2014	WSCT-BA16050021A	WSCT	May 17, 2016
EN 62220: 2008	WSCT-BA16050021A	WSCT	May 17, 2016
EN55014-1: 2006+A1: 2009+A2: 2011	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN55014-2: 1997+A1: 2003+A2: 2008	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN 61000-3-2: 2014	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN 61000-3-3: 2013	WSCT-R&E-16052650A	WSCT	May 17, 2016

Certified Product: Curling iron
Type Designation: F998A, F998B, F998B+, F999C, F998D, F998E, F998F, F998G, F998H
Rated Input Voltage: 200-240 V ~, 50 Hz
Rated Input Current: N/A
Rated Input Wattage: 110 W
Rated Output: N/A
Protection Class: II
Max. Ambient Temperature: N/A
Other technical data: N/A
Continued on page: N/A **Appendix:** N/A

Remark: The certification is only valid for product(s) in conjunction with the test report(s) above.
This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s).
Technical reports and documentation are at the licensee holder's disposal. The sample has been tested by us with listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/53/EU.

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.
Building A, Baoan Science & Technology Park, Baoan
Road, Tangxia, Shiyuan, Bao'an District, Shenzhen, Guangdong, China
TEL: +86-755-26996192 E-mail: market@wsct.org.cn Date of issue: 28/04/2016 (day/month/year)
FAX: +86-755-26996253 http://www.wsct-cert.com

The CE marking may be used if all relevant and effective EC Directives are complied with.



Shenzhen SEM.Test Technology Co., Ltd.
1/F, Building A, Hongwei Industrial Park, Luoxian 2nd Road,
Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

Report No. : STR16048003E
Applicant : Shenzhen Fashion Beauty Technology Co., Ltd.
Address : Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China
Manufacturer : DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD
Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, China
Description of Product : HAIR IRON
Model No. : See Model List
Trade Name : /
Test Standards : EN 55014-1:2006+A1:2009+A2:2011
EN 61000-3-2:2014
EN 61000-3-3:2013
EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.



Test Laboratory

Jandy So

Jandy So
Supervisor

Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.
Tel: +86-755-33663308 Fax: +86-755-33663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listed model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shenzhen Fashion Beauty Technology Co Ltd	Manufacturer: Dongguan Fashion Beauty Technology Co., Ltd
Address: Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xiang Road And Xinhua Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA	Address: Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
Country: China	Country: China
Contact: Mr. Jacky Deng	Contact: Mr. Zhonghua Deng
Phone: +86-755-29553391	Phone: +86-769-85162022
FAX: +86-755-27366587	FAX: +86-769-85161322
Email: beauty@126.com	Email: beauty@126.com
Party Authorized To Apply Mark: Same as Manufacturer	
Report Issuing Office: Intertek Testing Services Shenzhen Ltd. Guangzhou Branch	

Control Number: 4003728 Authorized by: Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability for any party other than the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any other use of the phrase name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow-up Services are for the purpose of ensuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of these obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1872

Standard(s):	UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances CSA E60335-14E Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2-23: Particular Requirements For Appliances For Skin or Hair Care
Product:	Hair Straightener



Certificate of Registration

This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.

Organization Code : 9144190059407804XU
Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China
Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.
The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)
SNQA's website : www.snqa.com.cn


 Managing Director

Certificate Number **28450**

Date: 11 January 2013
Reissue Date: 11 January 2016
Valid Until: 14 September 2018
EAC Code: 18






The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 213 held by NQA.
NQA is a trading name of NQA Certification Limited, Registration No 20251786. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU8 5EZ, UK.
This certificate is the property of NQA and must be returned on request.

سؤال وجواب:

میں نے اپنے کاروبار کے لیے ایک ایسی جگہ چاہتی ہوں جہاں پر کم از کم 16 گھنٹے کے لیے کام کرنے والے لوگوں کی ضرورت ہوگی۔

میں نے اپنے کاروبار کے لیے ایک ایسی جگہ چاہتی ہوں جہاں پر کم از کم 1000 سے زیادہ لوگوں کی ضرورت ہوگی۔

86+ لوگوں کی ضرورت ہے۔ 24 گھنٹے کے لیے کام کرنے والے لوگوں کی ضرورت ہے۔ 13823651633۔

a: 10-7 گھنٹے کے لیے کام کرنے والے لوگوں کی ضرورت ہے۔ 10-7 days کے لیے کام کرنے والے لوگوں کی ضرورت ہے۔

.میں نے اپنے کاروبار کے لیے ایک ایسی جگہ چاہتی ہوں جہاں پر کم از کم 60-45 گھنٹے کے لیے کام کرنے والے لوگوں کی ضرورت ہوگی۔

60-45 گھنٹے کے لیے کام کرنے والے لوگوں کی ضرورت ہے۔ 60-45 days کے لیے کام کرنے والے لوگوں کی ضرورت ہے۔

میں نے اپنے کاروبار کے لیے ایک ایسی جگہ چاہتی ہوں جہاں پر کم از کم 10-7 گھنٹے کے لیے کام کرنے والے لوگوں کی ضرورت ہوگی۔

