

صدفة: الانتهاء من الحقن أو ارتفعت ذهبية رسمت الانتهاء
لوحة: الماس طلاء لوحة، الكيراتين، زيت أركان، نانو-فضي مغلف أو نانو مخصص لوحات التيتانيوم
بوصة 1.5 / mm حجم اللوحة: 110 * 30
PTC نظام / سخانات سيراميك أو سخانات MCH سخان: تسخين
في أو أعلى. درجة الحرارة: ماكس درجة الحرارة 240 °C (480)
عرض LCD: عرض درجة الحرارة
الجهود المزدوج، 110V-220V، 50 / 60HZ، 110W السلطة: 110
أقدام) الأسلاك البلاستيكية أو حسب الطلب (9M الحبل: 360 درجة تشابك الحبل الدوران الحرة، 2.65-3
المكونات pse، سداة: الاتحاد الأوروبي التوصيل، الولايات المتحدة التوصيل، المملكة المتحدة التوصيل
شهادة: CE، rhos، cetlus، ccc، cb



اسم النموذج: F8228B.
مادة: حيوان اليف
مك: 1000 pcs.
الجهود المزدوج، 110V-220V، 50 / 60HZ، 110W السلطة: 110
أقدام) الأسلاك البلاستيكية أو حسب الطلب (9M الحبل: 360 درجة تشابك الحبل الدوران الحرة، 2.65-3
المكونات pse، سداة: الاتحاد الأوروبي التوصيل، الولايات المتحدة التوصيل، المملكة المتحدة التوصيل
شهادة: CE، rhos، cetlus، ccc، cb



قذيفة: حقن التشطيب أو الانتهاء حسب متطلبات العملاء.
MCH أو سخانات PTC --- سخان: سخان عالية الجودة
C / 480F درجة حرارة الإعدادات: ما يصل إلى 240
120 (ثابت) / 60W (V-240V, 50/60HZ, 115W91min) الطاقة:
/ محرك
V-240V مزدوج الجهد 110
تشابك الحبل قطب مجاني أو طول مخصص والمواد M حبل: 2.65
التوصيل، المملكة المتحدة التوصيل BS، التوصيل: الولايات المتحدة التوصيل، الاتحاد الأوروبي التوصيل
شهادة: CE, rhos, cetlus, ccc, cb ets
30 mm x 110mm حجم لوحة :
G. وزن : 380
قابلة للطي: لا



شعار: حسب الطلب
تسمية الأسلاك: حسب الطلب
التسمية الفنية: حسب الطلب
طرد: حسب الطلب
الأسواق الرئيسية: الغربية أوروبا، أمريكا الشمالية، آسيا، الشرق الأوسط
عدد المصنع الموظفين: 80-150.



F8228B تسويق بيع نقاط

- √ F8228B.: نموذج لا
- √ احترافي الحديد المسطح الشعر لاستخدام صالون مصمم السوائل --- استقامة وتصميم
- √ طبق الحجم: 100 * 30 ملليمتر = 1.2 بوصة
- √ تأكد من أن لوحات التدفئة العائمة التي يمكن أن تنزلق بها الشعر بسلاسة. 3D
- √ MCH سخانات / سخانات PTC
- √ طبق جعل: شقة، المكشكش، على شكل ج، ش شكل، أي شكل تريده
- √ طبق مواد: نانو الفضة المصنوعة في كوريا السيراميك / نانو الفضة الدائم التيتانيوم / النسيج المبتكر / المواد ضوء الأشعة تحت الحمراء
- √ 240 °C / 470F --- 160, 180, 200, 220, 240 درجة حرارة المدى: ما يصل إلى 240
- √ 390F / C مع ارتفاع درجات الحرارة حتى 200S سريع التسخين: 30
- √ أمان تصميم قفل
- √ تصميم تصميم LCD / digital.
- √ تبريد تلميح وتصميم مقبض التبريد
- √ التشابك مجاناً M أو 3M تدوير سلك الطاقة الدوران --- 2.65, 360.
- √ W. قوة: 60.
- √ التلقائي اغلاق - ساعة واحدة
- √ المتاحة ODM خدمة oem.
- √ فريق تطوير العفن، وخطوط التجميع، PCB الذات مملوكة فريق تصميم
- √ خدمة تصميم التعبئة والتغليف
- √ شعار خدمة التصميم
- √ عفن خدمة التنمية والتصميم
- √ خدمة التخصيص للمساعدة في بناء علامتك التجارية 100%.



التعبئة والتسليم:

<1" = 25.4mm CellPacing = "0" CellPadding = "0" align = ""=" 100 "mm" = 25.4mm "mmmmmm"
 7.2:mmmmmm mmmmmmm mmmmm mm :mmmmmm mmmmmmmmmmmmm:mmmmmm mmmmmmmmmmmmmpt7.2 :mmmmmm mmmmmmm mmpt "> <mmmm
 TD = "355" valign = "213.05 :mmmmmm" = mmm "mmmmmmPT1.0 mmmmmmm mmmmmmmmmmmmm :mmmmmmmm mmpt0 :mmmmmm mmCM
 5.4PT 0CM 5.4PT ">

تفاصيل التعبئة:

<mmmm TD = "355" valign = "213.05 :mmmmmm" = mmm "mmmmmmPT1.0 mmmmmmm mmmmmmmmmmmmm :mmmmmmmm mmptmmmmmmmm mm
 0 :mmmmmm mmmmm mm :mmmmmmmmmmmmCM 5.4PT 0CM 5.4PT ">

* هدية مربع التعبئة

* حجم GB: 10.5x30x5.4cm

* 24pcs / ctn

* 44 حجم الكرتون: 31.5x34.5cm

* g.w: 16.2kgs

* n.w: 9.6kgs

* 1x20gp = 14500pcs

* 1x40gp = 29000pcs

<mmmm TD = "355" valign = "213.05 :mmmmmm" = mmm "mmmmmmPT1.0 mmmmmmm mmmmmmmmmmmmm :mmmmmmmm mmptmmmmmmmm mm
 0 :mmmmmm mmmmm mm :mmmmmmmmmmmmCM 5.4PT 0CM 5.4PT ">

توصيل التفاصيل:

أيام بعد الإيداع 30.



كيف ليستخدم

1، استقامة الشعر،

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف.

1. بدء مع تقسيم الشعر إلى خيوط لا يزيد عن 1/2 بوصة سميكة و 2 بوصة واسعة.
2. خذ واحدة قسم من الشعر في وقت ووضع الحديد على مقربة من الجذر ممكن و الانزلاق إلى النهايات دون توقف.
3. لا اسحب بسرعة كبيرة، استقامة كل قسم مرة واحدة وسوف تعطي ببطء نتيجة أفضل بكثير من استقامة كل قسم عدة مرات بسرعة.
4. منحني لوحة يمكن أن يعطي منزلا نظما جدا على الشعر، لذلك فهو أسهل للناس لتصميم شعرهم دون عناء S.
5. يكرر هذه العملية حتى تكتمل جميع الأقسام.



خلق تجعيد الشعر والتنقل

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف.

1. بدء مع تقسيم الشعر إلى خيوط لا يزيد عن 1/2 بوصة سميكة و 2 بوصة واسعة.
2. ضع ال أيون بالقرب من الجذر قدر الإمكان والانزلاق من خلال الشعر ببطء في الحركة النزولية في وقت واحد التواء وتحول الحديد.
3. لا حليقة بسرعة كبيرة، تجعد كل قسم مرة واحدة وبطء سوف تعطي أفضل بكثير نتيجة من الشباك كل قسم عدة مرات بسرعة.
4. يكرر هذه العملية حتى تكتمل جميع الأقسام.



لماذا نختار لنا؟

- (2) يسهل استخدامه ويحمي الشعر من التلف. يحتوي على 100 مليون جزيء سيراميك يحمي الشعر من التلف.
- (4) يسهل استخدامه ويحمي الشعر من التلف.
- (6) يسهل استخدامه ويحمي الشعر من التلف.
- (8) يسهل استخدامه ويحمي الشعر من التلف.



INJECTION MACHINES



MOULD MACHINE



MOULD SHOP



MOULDS2



AC power source 1



Electrical parameter tester



Electrical parameter tester



Life test machine



Power cord flexing test system



Salted steam testing machine



Voltage withstand tester



LOGO printing machine 2



AC power source 2

CERTIFICATION
Of Compliance

WSCT

Certificate No. WSCT16050000121ES	Page 0001	Brand Name ASTRA	Order No. WSCT-R&E-2016202	Document revision 1.0	Latest expiration date 17/05/2021 (day/month/year)
--------------------------------------	--------------	---------------------	-------------------------------	--------------------------	---

Applicant information Shenzhen Fuduan Beauty Technology Co., Ltd. Room 2623 Unit A, Building one, Mei Li Times Garden, Interchange of Xi Xiang Road and Xin Hu Road XG Xiang Street, Baoan District Shenzhen China 518102	Manufacturing information Dongguan Fuduan Beauty Technology Co., Ltd. Workshop Building 6, Huafeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523500, P.R.China
--	--

Standard(s)	Test Report(s)	Issued By	Date(s)
EN 60335-2-23:2009+A1:2008+A11:2010 +A2:2011	WSCT-HA16050023A	WSCT	May 17, 2016
EN 60335-1:2012+A11:2014	WSCT-HA16050023A	WSCT	May 17, 2016
EN 62225:2008	WSCT-HA16050023A	WSCT	May 17, 2016
EN55014-1:2006+A1:2009+A2:2011	WSCT-R&E-16053630A	WSCT	May 17, 2016
EN55014-2:2007+A1:2011+A2:2010	WSCT-R&E-16053630A	WSCT	May 17, 2016
EN 61000-3-2:2014	WSCT-R&E-16053630A	WSCT	May 17, 2016
EN 61000-3-3:2013	WSCT-R&E-16053630A	WSCT	May 17, 2016

Certified Product: Curling iron
Type Designation: F999A, F999B, F999C, F999D, F999E, F999F, F999G, F999H
Rated Input Voltage: 240-240 V ~, 50 Hz
Rated Input Current: N/A
Rated Input Wattage: 110 W
Rated Output: N/A
Protection Class: II
Max. Ambient Temperature: N/A
Other technical data: N/A
 Continued on page: N/A Appendix: N/A

Remarks: This certification is only valid for product(s) in conjunction with the test report(s) above.
 This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s).
 Technical reports and documentations are at the licensee holder's disposal. The sample has been tested by us with
 listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/30/EU.

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.
 Building A, Baoan Science & Technology Park, Baoan
 Road, Tangbu, Shiyao, Bao'an District, Shenzhen, Guangdong, China. Wang Fengfeng
 TEL: 86-755-26995233 E-mail: market@wsct.org.cn Date of Issue: 28/04/2016 (day/month/year)
 FAX: 86-755-26995233 http://www.wsct-cert.com

CE The CE-marking may be used if all relevant and effective EC Directives are complied with.



Shenzhen SEM.Test Technology Co., Ltd.
 1/F, Building A, Hongwei Industrial Park, Lixian 2nd Road,
 Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

Report No.: STR16048003E
Applicant: Shenzhen Fashion Beauty Technology Co., Ltd.
Address: Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China
Manufacturer: DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD
Address: Workshop Building 6, Huafeng Road, Huaide Community, Humen Town, Dongguan, China

Description of Product: HAIR IRON
Model No.: See Model List
Trade Name: /

Test Standards: EN 55014-1:2006+A1:2009+A2:2011
 EN 61000-3-2:2014
 EN 61000-3-3:2013
 EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.

Test Laboratory



Jandyso
 Jandy So
 Supervisor
 Date of Issue: Apr 19, 2016


This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

Tel: +86-755-33663308 Fax: +86-755-33663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shenzhen Fashion Beauty Technology Co Ltd	Manufacturer: Dongguan Fashion Beauty Technology Co., Ltd
Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road And Ximhu Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA	Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
Country: China	Country: China
Contact: Mr. Jacky Deng	Contact: Mr. Zhonghua Deng
Phone: +86-755-29553391	Phone: +86-769-85162022
FAX: +86-755-27366587	FAX: +86-769-85161322
Email: fbbeauty@126.com	Email: fbbeauty@126.com
Party Authorized To Apply Mark: Same as Manufacturer	
Report Issuing Office: Intertek Testing Services Shenzhen Ltd, Guangzhou Branch.	

Control Number: 4003728 **Authorized by:**  Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client as set forth in the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advancement of the listed material, product or service must first be approved in writing by Intertek. Initial Factory Measurements and Follow-up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purpose of production quality control and do not relieve the Client of these obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5867 Fax 312-283-1672

UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances
Standard(s): CSA E60335-14E Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements
CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2.23: Particular Requirements For Appliances For Skin or Hair Care
Product: Hair Straightener



This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.

Organization Code : 9144190059407804XU
 Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China
 Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.

The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)
 SNQA's website : www.snqa.com.cn


 Managing Director

Certificate Number **28450**


 015



Date:	11 January 2013
Reissue Date:	11 January 2016
Valid Until:	14 September 2018
EAC Code:	18



The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 015 held by NQA. NQA is a trading name of NQA Certification Limited, Registration No 28201716. Registered Office: Warwick House, Houghton Hall Park, Houghton Regs, Dunstable, LU8 5EZ, UK. This certificate is the property of NQA and must be returned on request.



MOULD MACHINE

الاختبارات نحن نفعل لمراقبة الجودة 100٪:

Tests we do to make sure the quality		
Test	Testing time	Verified
Salt Spray Tester	100000 hours	✓
Grounding Resistance Tester	100000 hours	✓
Hi-Pot Tester	100000 hours	✓
Digital Power Meter	100000 hours	✓
Aging Test Machine	100000 hours	✓
Electric Safety Test Machine	100000 hours	✓

كل عام في إيطاليا، دبي، الولايات المتحدة الأمريكية، روسيا، هونغ كونغ، Cosmoprof نحن حضور عرض الجمال إذا أتيت إلى أي من المعارض، فسوف تكون على دراية حاكمي، وهو شخص مسؤول وموثوق به. ح



سؤال وجواب:

هل يمكنني الحصول على عينات مجانية من أدوات التجميل؟
نعم، يمكننا توفير عينات مجانية من أدوات التجميل الخاصة بنا. يرجى الاتصال بنا على رقم الهاتف 16 للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على عينات مجانية من أدوات التجميل؟
نعم، يمكننا توفير عينات مجانية من أدوات التجميل الخاصة بنا. يرجى الاتصال بنا على رقم الهاتف 1000 للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على عينات مجانية من أدوات التجميل؟
نعم، يمكننا توفير عينات مجانية من أدوات التجميل الخاصة بنا. يرجى الاتصال بنا على رقم الهاتف 86+ 13823651633.

a: هل يمكنني الحصول على عينات مجانية من أدوات التجميل؟
نعم، يمكننا توفير عينات مجانية من أدوات التجميل الخاصة بنا. يرجى الاتصال بنا على رقم الهاتف 10-7 days للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على عينات مجانية من أدوات التجميل؟
نعم، يمكننا توفير عينات مجانية من أدوات التجميل الخاصة بنا. يرجى الاتصال بنا على رقم الهاتف spay shinny للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على عينات مجانية من أدوات التجميل؟
نعم، يمكننا توفير عينات مجانية من أدوات التجميل الخاصة بنا. يرجى الاتصال بنا على رقم الهاتف 60-45 days للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على عينات مجانية من أدوات التجميل؟
نعم، يمكننا توفير عينات مجانية من أدوات التجميل الخاصة بنا. يرجى الاتصال بنا على رقم الهاتف للحصول على مزيد من التفاصيل:

2) 00000 00000000 000000 00 0000000 000 000000000 00 0000000 0000000 000 0000000 0 00000.