صدفة: الانتهاء من الحقن أو ارتفعت ذهبية رسمت الانتهاء
لوحة: الماس طلاء لوحة، الكيراتين، زيت أركان، نانو-فضي مغلف أو نانو مخصص لوحات التيتانيوم
بوصة 1.5 / mmحجم اللوحة: 30 * 110
نظام / سخانات سيراميك أو سخانات MCH سخان: تسخين PTC.
في أو أعلى.Fدرجة الحرارة: ماكس درجة الحرارة 240 ℃.(480
عرض درجة الحرارة: LCD عرض
الجهد المزدوج، 110V-220V، 50 / 60HZ، 110Wالسلطة:
أقدام) الأسلاك البلاستيكية 9) Mالحبل: 360 درجة تشابك الحبل الدوران الحرة، 2.65-3
المكونات pse، سدادة: الاتحاد الأوروبي التوصيل، الولايات المتحدة التوصيل، المملكة المتحدة التوصيل
شهادة: CE، rhos، cetlus، ccc، cb

نموذج الاسم: F8228B.
مادة: حيوان اليف
موك: 1000pcs.
الجهد المزدوج، 110V-220V، 50 / 60HZ، 110Wالسلطة:
أقدام) الأسلاك البلاستيكية أو حسب الطلب 9) Mالحبل: 360 درجة تشابك الحبل الدوران الحرة، 2.65-3
المكونات pse، سدادة: الاتحاد الأوروبي التوصيل، الولايات المتحدة التوصيل، المملكة المتحدة التوصيل
شهادة: CE، rhos، cetlus، ccc، cb

قذيفة: حقن التشطيب أو الانتهاء حسب متطلبات العملاء.
سخان: سخان عالية الجودة --- PTC أو سخانات MCH.
درجة حرارة الإعدادات: ما يصل إلى 240C / 480F
الطاقة: 120V-240V، 50/60HZ، 115W91min) / 60W (ثابت)
محرك: /
مزدوج الجهد 110V-240V
حبل: 2.65M تشابك الحبل قطب مجاني أو طول مخصص والمواد
التوصيل: الولايات المتحدة التوصيل، الاتحاد الأوروبي التوصيل، BS التوصيل، المملكة المتحدة التوصيل
شهادة: CE، rhos، cetlus، ccc، cb ets
حجم لوحة : 30mm × 110mm
وزن : 380G.
قابلة للطي: لا

شعار: حسب الطلب
تسمية الأسلاك: حسب الطلب
التسمية الفنية: حسب الطلب
طرد: حسب الطلب
الأسواق الرئيسية: الغربية أوروبا، أمريكا الشمالية، آسيا، الشرق الأوسط
عدد المصنع الموظفون: 80-150.

F8228B: تسويق بيع نقاط

√ نموذج لا.: F8228B.
√ احترافي الحديد المسطح الشعر لاستخدام صالون مصمم السوائل --- استقامة وتصميم.
√ طبق الحجم: 100 * 30 ملليمتر = 1.2 بوصة
√ 3D. تأكد من أن لوحات التدفئة العائمة التي يمكن أن تنزلق بها الشعر بسلاسة.
√ PTC. سخانات / سخانات MCH
√ طبق جعل: شقة، المكشكش، على شكل ج، ش شكل، أي شكل تريده.
√ طبق مواد: نانو الفضة المصنوعة في كوريا السيراميك / نانو الفضة الدائم التيتانيوم / النسيج المبتكر / المواد ضوء الأشعة تحت الحمراء
√ 240 درجة حرارة المدى: ما يصل إلى C / 470F --- 160، 180، 200، 220، 240 ˚C
√ 30 :سريع التسخين S 200 مع ارتفاع درجات الحرارة حتى C / 390F
√ أمان تصميم قفل
√ LCD / digital. تصميم تصميم
√ تبريد تلميح وتصميم مقبض التبريد
√ 360. 2.65 --- تدوير سلك الطاقة الدوران M 3 أو M التشابك مجانا.
√ 60 :قوة W.
√ التلقائي اغلاق - ساعة واحدة
√ oem. خدمة ODM المتاحة
√ الذات مملوكة فريق تصميم PCB، فريق تطوير العفن، وخطوط التجميع.
√ خدمة تصميم التعبئة والتغليف
√ شعار خدمة التصميم
√ عفن خدمة التنمية والتصميم
√ 100٪ خدمة التخصيص للمساعدة في بناء علامتك التجارية.

التعبئة والتسليم:

<1" = حدود الجدول" CellPacing = "0" CellPadding = "0" align = ""=" ٪100 "نمط" = العرض " اليسار
7.2 : الهامش اليسار؛ لا شيء : الحدود؛ الانهيار : الانهيار الحدودpt7.2 : الهامش اليمين؛ pt "> <عرض
TD = "355" valign = "213.05 :العرض" = نمط " أعلىPT1.0 النافذة الصلب : الحدود؛ pt0 : الحشو؛ CM
5.4PT 0CM 5.4PT ">

تفاصيل التعبئة:

<عرض TD = "355" valign = "213.05 :العرض" = نمط " أعلىPT1.0 النافذة الصلب : الحدود؛ pt الحدود ؛
0 : الحشو؛ لا شيء : اليسارCM 5.4PT 0CM 5.4PT ">

* هدية مربع التعبئة
حجم * GB: 10.5x30x5.4cm
* 24pcs / ctn
* 44 :حجم الكرتونx31.5x34.5cm
* g.w: 16.2kgs
* n.w: 9.6kgs
* 1x20gp = 14500pcs
* 1x40gp = 29000pcs

<عرض TD = "355" valign = "213.05 :العرض" = نمط " أعلىPT1.0 النافذة الصلب : الحدود؛ pt الحدود ؛
0 : الحشو؛ لا شيء : الأعلىCM 5.4PT 0CM 5.4PT ">

توصيل التفاصيل:

30. أيام بعد الإيداع

كيف ليستخدم:

1، استقامة الشعر

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف.

1. بدء مع تقسيم الشعر إلى خيوط لا يزيد عن 1/2 بوصة سميكة و 2 بوصة واسعة.
2. خذ واحدة قسم من الشعر في وقت ووضع الحديد على مقربة من الجذر ممكن و الانزلاق إلى النهايات دون توقف.
3. لا اسحب بسرعة كبيرة، استقامة كل قسم مرة واحدة وسوف تعطي ببطء نتيجة أفضل بكثير من استقامة كل قسم عدة مرات بسرعة.
4. S. منحنى لوحة يمكن أن يعطي منزلا نطما جدا على الشعر، لذلك فهو أسهل للناس لتصميم شعرهم دون عناء.
5. يكرر هذه العملية حتى تكتمل جميع الأقسام.

خلق تجعيد الشعر والتنقل

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف.

1. بدء مع تقسيم الشعر إلى خيوط لا يزيد عن 1/2 بوصة سميكة و 2 بوصة واسعة.
2. ضع ال أيون بالقرب من الجذر قدر الإمكان والانزلاق من خلال الشعر ببطء في الحركة النزولية في وقت واحد التواء وتحول الحديد.
3. لا حليقة بسرعة كبيرة، تجعد كل قسم مرة واحدة وببطء سوف تعطي أفضل بكثير نتيجة من الشباك كل قسم عدة مرات بسرعة.
4. يكرر هذه العملية حتى تكتمل جميع الأقسام.

CERAMIC
SILKY & SHINY HAIR WITH

لماذا تختار لنا؟

(2) نظام مراقبة الجودة موثوقة صارمة . سيتم إجراء اختبار 100٪ لجميع منتجاتنا قبل الشحن للتأكد كل وحدة في حالة ممتازة.

(4) نحن نقدم لك كفاءة وشاملة قبل الخدمة وبعد الخدمة.

(6) يمكنك أن تعطينا فكرة المنتج الخاصة بك و أخبرنا بسهولة ما تريد، وسوف نجعل الأمر حقيقة.

(8) التواصل الفعال والدعم من استشاري المبيعات المهنية لدينا.

INJECTION MACHINES

MOULD MACHINE

MOULD SHOP

MOULDS2

AC power source1

Electrical parameter tester

Electrical parameter tester

Life test machine

Power cord flexing test system

Salted steam testing machine

Voltage withstand tester

LOGO printing machine 2

AC power source2

CERTIFICATION

Of Compliance

WSCT

Certificate No.	Page
WSCT16050000121ES	0001

Brand Name	Order No.	Document revision	Latest expiration date
ASTRA	WSCT-R&E-2016202	1.0	17/05/2021 (day/mo/yr)

Applicant information
Shenzhen Fashion Beauty Technology Co., Ltd
Room 2623 Unit A, Building one, Mei Li Times Garden, Interchange of Xi Xiang Road and Xin Hu Road Xi Xiang Street, Baoan District Shenzhen China 518102

Manufacturing information
Dongguan Fashion Beauty Technology Co., Ltd.
Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900, P.R.China

Test Mark

Standard(s)	Test Report(s)	Issued By	Date(s)
EN 60335-2-23: 2003 +A1: 2008 +A11: 2010 +A2: 2015	WSCT-ISA16050023A	WSCT	May 17, 2016
EN 60335-1: 2012 +A11: 2014	WSCT-ISA16050023A	WSCT	May 17, 2016
EN 62233: 2008	WSCT-ISA16050023A	WSCT	May 17, 2016
EN55014-1: 2006+A1: 2009+A2: 2011	WSCT-R&E-160536501A	WSCT	May 17, 2016
EN55014-2: 1997+A1: 2001+A2: 2008	WSCT-R&E-160536501A	WSCT	May 17, 2016
EN 61000-3-2: 2014	WSCT-R&E-160536501A	WSCT	May 17, 2016
EN 61000-3-3: 2013	WSCT-R&E-160536501A	WSCT	May 17, 2016

Certified Product: Curling iron
Type Designation: F998A, F998B, F998B+, F998C, F998D, F998E, F998F, F998G, F998H
Rated Input Voltage: 200-240 V~, 50 Hz
Rated Input Current: N/A
Rated Input Wattage: 110 W
Rated Output: N/A
Protection Class: II
Max. Ambient Temperature: N/A
Other technical data: N/A
Continued on page: N/A **Appendix:** N/A

Remark: The certification is only valid for product(s) in conjunction with the test report(s) above. This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s). Technical reports and documentations are at the licence holder's disposal. The sample has been tested by us with listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/30/EU.

WSCT

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.
Building A, Baoshi Science & Technology Park, Baoshi Road, Tangtou, Shiyan, Bao'an District, Shenzhen, Guangdong, China
TEL: 86-755-26996192 E-mail: market@wsct-cert.org.cn
FAX: 86-755-26996253 http://www.wsct-cert.com

Wang Fenghing

Date of Issue: 28/04/2016 (day/mo/yr)

CE The CE marking may be used if all relevant and effective EC Directives are complied with. CE

TEST

Shenzhen SEM.Test Technology Co., Ltd.
1/F, Building A, Hongwei Industrial Park, Liuxian 2nd Road, Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the **EC Directive 2014/30/EU.** It is possible to use CE marking to demonstrate the conformity with this **EMC Directive.**

Report No.	:	STR16048003E
Applicant	:	Shenzhen Fashion Beauty Technology Co., Ltd.
Address	:	Room 2623, Unit A, Buliding One, Meili Times Garden, Interchange of Xixiang Road and Xinhu Road, Xixiang Street, Bao'an District, Shenzhen, China
Manufacturer	:	DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD
Address	:	Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, China
Description of Product	:	HAIR IRON
Model No.	:	See Model List
Trade Name	:	/
Test Standards	:	**EN 55014-1:2006+A1:2009+A2:2011** **EN 61000-3-2:2014** **EN 61000-3-3:2013** **EN 55014-2:1997+A1:2001+A2:2008**

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.

CE

Test Laboratory

Jandy So
Supervisor
Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

Tel.: +86-755-33663308 Fax.: +86-755-33663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

Intertek

AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shenzhen Fashion Beauty Technology Co Ltd	**Manufacturer:**	Dongguan Fashion Beauty Technology Co., Ltd
Address:	Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road And Xinhu Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA	**Address:**	Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
Country:	China	**Country:**	China
Contact:	Mr. Jacky Deng	**Contact:**	Mr. Zhonghua Deng
Phone:	+86-755-29553391	**Phone:**	+86-769-85162022
FAX:	+86-755-27366587	**FAX:**	+86-769-85161322
Email:	fbeauty@126.com	**Email:**	fbeauty@126.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

Control Number: *4003728* **Authorized by:** Thomas J. Patterson, Certification Manager

c ETL us
Intertek

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances CSA E60335-1/4E Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2-23: Particular Requirements For Appliances For Skin or Hair Care
Product:	Hair Straightener

Certificate of Registration

nqa

This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.

Organization Code : 91441900594078O4XU
Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China
Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer(within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.
The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn).
SNQA's website : www.snqa.com.cn

Managing Director

Certificate Number **28450**

Date: 11 January 2013
Reissue Date: 11 January 2016
Valid Until: 14 September 2018
EAC Code: 18

UKAS MANAGEMENT SYSTEMS 015

IAF

The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 215 held by NQA.
NQA is a trading name of NQA Certification Limited, Registration No 3930758. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU5 5ZX, UK
This certificate is the property of NQA and must be returned on request.

MOULD MACHINE

100 الاختبارات نحن نفعل لمراقبة الجودة٪:

Tests we do to make sure the quality		
Test	Testing time	Verified
Salt Spray Tester	100000 hours	✓
Grounding Resistance Tester	100000 hours	✓
Hi-Pot Tester	100000 hours	✓
Digital Power Meter	100000 hours	✓
Aging Test Machine	100000 hours	✓
Electric Safety Test Machine	100000 hours	✓

كل عام في إيطاليا، دبي، الولايات المتحدة الأمريكية، روسيا، هونغ كونغ. Cosmoprof نحن حضور عرض الجمال
إذا أتيت إلى أي من المعارض، فسوف تكون على دراية جاكي، وهو شخص مسؤول وموثوق به. ج

SHENZHEN FASHION BEAUTY TECHNOLOGY CO.,LTD
18C22
018
C
022
NEW
SHENZHEN FASHION BEAUTY TECHNOLOGY CO.,LTD.
COIFFURE & STYLE
ESTETICA RUSSIA
ESTETICA

سؤال وجواب:

ج: نحن المصنع الأصلي لأدوات الشعر بما في ذلك الشعر المسطح الشعر، الحديد الشباك، الشعر مجفف، فرشاة الهواء الساخن لمدة 16 سنة.

ج: نعم، يمكنك تخصيص للون والشعار والتصميم والحزمة، علامة الكرتون، وما إلى ذلك طالما الطلب 1000 □□□□pcs أو أكثر . هذا هو بالضبط ما نفعله وما لوظيفتنا هو .

ج: سوف نقوم بالرد عليك في المرة الأولى في غضون 24 ساعة. إذا كانت الطوارئ، اتصل فقط 86+ 13823651633.

رسوم العينة سوف يتم دفعها من قبل المشتري، ولكن سيتم ردها بعد وضع النظام معنا . هو - هي :a ما يستغرق 7-10 □□□□days للحصول على العينات جاهزة.

ج: نعم . تستطيع القول لنا بانتون رقم أو يرسل لنا رقاقة نماذج لون الولايات المتحدة . يمكننا أن نفعل أي spay shinnny تأثير اللون أو لون نقل المياه أو أي لون تقريبا تريد.

سوف يستغرق حوالي 45-60 □days: للإنتاج الضخم بعد تلقي الودائع وجميع التفاصيل تم تأكيد.

ج: الجودة هي أفضلية ! كل عامل يحتفظ بعملية مراقبة الجودة في الاعتبار من أجل بداية في النهاية:

2) [illegible].