

صدفة: الانتهاء من الحقن أو ارتفعت ذهبية رسمت الانتهاء  
لوحة: الماس طلاء لوحة، الكيراتين، زيت أركان، نانو-فضي مغلف أو نانو مخصص لوحات التيتانيوم  
حجم اللوحة: 20 \* 110 ملليمتر / بوصة  
PTC. نظام / سخانات سيراميك أو سخانات MCH سخان: تسخين  
في أو أعلى. درجة الحرارة: ماكس درجة الحرارة 230 °C (450)  
عرض درجة الحرارة: 5 أضواء عرض درجة الحرارة الرقمية  
الجهود المزدوج، 110V-220V، 50 / 60HZ، 110W السلطة: 110  
أقدام) الأسلاك البلاستيكية (9 IM الحبل: 360 درجة تشابك الحبل الدوران الحرة، 2.65-3  
المكونات pse، سداة: الاتحاد الأوروبي التوصيل، الولايات المتحدة التوصيل، المملكة المتحدة التوصيل  
شهادة: CE، rhos، cetlus، ccc، cb



اسم الموديل: F601HB  
مادة: حيوان اليف  
1000 pcs. موك:  
الجهود المزدوج، 110V-220V، 50 / 60HZ، 110W السلطة: 110  
أقدام) الأسلاك البلاستيكية أو حسب الطلب (9 IM الحبل: 360 درجة تشابك الحبل الدوران الحرة، 2.65-3  
المكونات pse، سداة: الاتحاد الأوروبي التوصيل، الولايات المتحدة التوصيل، المملكة المتحدة التوصيل  
شهادة: CE، rhos، cetlus، ccc، cb



فذيقة: الحقن التشطيب أو الانتهاء حسب متطلبات العملاء

MCH أو سخانات PTC --- سخان: سخان عالية الجودة

230 إلى 450F / درجة حرارة الإعدادات: ما يصل إلى

(ثابت) / 60W (115W91min) / 50/60HZ, 240V-120V الطاقة:

/ محرك

110 مزدوج الجهد 240V

تشابك الحبل قطب مجاني أو طول مخصص والمواد M حبل: 2.65

التوصيل، المملكة المتحدة التوصيل BS، التوصيل: الولايات المتحدة التوصيل، الاتحاد الأوروبي التوصيل

شهادة: CE, rhos, cetlus, ccc, cb ets

105 × mm حجم لوحة : 28 ملم

G. وزن : 380

قابلة للطي: لا



شعار: حسب الطلب  
تسمية الأسلاك: حسب الطلب  
التسمية الفنية: حسب الطلب  
تردد: حسب الطلب  
الأسواق الرئيسية: الغربية أوروبا، أمريكا الشمالية، آسيا، الشرق الأوسط  
عدد المصنعين: 80-150.



#### **F601HB بيع التسويق نقاط:**

سوبر لوحة ل استقامة وسهلة التصميم  
أفضل خيار للتفوييم والتصميم والاستخدام المنزلي؛  
بطولة صالون ألمانيا عرض نجمة  
فاز ببطولة أدوات صالون في ألمانيا في عام 2016  
.كوريا السيراميك سوبر على نحو سلس طلاء أو لوحة التيتانيوم للاختيار  
.جودة عالية نانو الفضة لوحات التدفئة التيتانيوم المرآة المدمجة يمكن أن تترك شعرك مع لامعة وحريرية تأثير

- وظيفة إيقاف التشغيل التلقائي --- 60 الدقائق
- √ 240 إلى ما يصل إلى 470F --- 160, 180, 200, 220, 230 °C / درجة حرارة المدى: ما يصل إلى 240
- √ 30 / 390F مع ارتفاع درجات الحرارة حتى 200S سريع التسخين: 30
- √ أمان تصميم قفل
- √ تصميم تصميم LCD / digital.
- √ تبريد تلميح وتصميم مقبض التبريد
- √ التشابك مجاناً أو 3M تدوير سلك الطاقة الدوران --- 2.65 360.
- √ W. قوة: 60.
- √ التلقائي اغلاق - ساعة واحدة
- √ المتاحة ODM خدمة oem.
- √ فريق تطوير العفن، وخطوط التجميع، PCB الذات مملوكة فريق تصميم
- √ خدمة تصميم التعبئة والتغليف
- √ شعار خدمة التصميم
- √ عفن خدمة التنمية والتصميم
- √ خدمة التخصيص للمساعدة في بناء علامتك التجارية 100%.



**التعبئة والتغليف & توصيل:**

تفاصيل التعبئة:	* هدية مربع التعبئة * GB: 10.5x30x5.4cm * 24pcs / ctn * حجم الكرتون: 44x31.5x34.5cm * g.w: 16.2kgs * n.w: 9.6kgs * 1x20gp = 14500pcs * 1x40gp = 29000pcs
توصيل التفاصيل:	أيام بعد الإيداع 30.

## **كيفية استخدام:**

### 1، استقامة الشعر،

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف.

1. بدء مع تقسيم الشعر إلى خيوط لا يزيد عن 1/2 بوصة سميكة و 2 بوصة واسعة.
2. خذ واحدة قسم من الشعر في وقت ووضع الحديد على مقربة من الجذر ممكن و الانزلاق إلى النهايات دون توقف.
3. لا اسحب بسرعة كبيرة، استقامة كل قسم مرة واحدة وسوف تعطي ببطء نتيجة أفضل بكثير من استقامة كل قسم عدة مرات.  
بسرعة.
4. منحنى لوحة يمكن أن يعطي منزلا نظما جدا على الشعر، لذلك فهو أسهل للناس لتصميم شعرهم دون عناء S.
5. يكرر هذه العملية حتى تكتمل جميع الأقسام.



خلق تجعيد الشعر و تقلب

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف

1. بدء مع تقسيم الشعر إلى خيوط لا يزيد عن 1/2 بوصة سميكة و 2 بوصة واسعة.
2. ضع ال أيون بالقرب من الجذر قدر الإمكان والانزلاق من خلال الشعر ببطء في الحركة النزولية في وقت واحد التواء وتحول الحديد.
3. لا حلقة بسرعة كبيرة، تجعد كل قسم مرة واحدة وبطء سوف تعطي أفضل بكثير نتيجة من الشباك كل قسم عدة مرات بسرعة.
4. يكرر هذه العملية حتى تكتمل جميع الأقسام.



### **لماذا اختر لنا؟**

- (2) نحن نقدم لكم أفضل خدمة عملاء على مدار 24 ساعة. نحن نقدم لكم أفضل الأسعار وأفضل الجودة.
- (4) نحن نقدم لكم أفضل خدمة عملاء على مدار 24 ساعة.
- (6) نحن نقدم لكم أفضل خدمة عملاء على مدار 24 ساعة.
- (8) نحن نقدم لكم أفضل خدمة عملاء على مدار 24 ساعة.



INJECTION MACHINES



MOULD MACHINE



MOULD SHOP



MOULDS2





AC power source 1



Electrical parameter tester



Electrical parameter tester



Life test machine



Power cord flexing test system



Salted steam testing machine



Voltage withstand tester



LOGO printing machine 2



AC power source 2

**CERTIFICATION**  
Of Compliance

**WSCT**

Certificate No. **W SCT16050000121ES** Page **0001**

Brand Name **ASTRA** Order No. **WSCT-R&E-2016202** Document revision **1.0** Latest expiration date **17/05/2021 (day/month/year)**

**Applicant information**  
Shenzhen Fashion Beauty Technology Co., Ltd.  
Room 2023 Unit A, Building one, Mei Li Times Garden,  
Interchange of Xi Xiang Road and Xia Hu Road Xi  
Xiang Street, Baoan District Shenzhen China 518102

**Manufacturing information**  
Dongguan Fashion Beauty Technology Co., Ltd.  
Workshop Building 6, Huaifeng Road, Huaide  
Community, Humen Town, Dongguan, Guangdong,  
523506, P.R.China

**Test Mark**

Standard(s)	Test Report(s)	Issued By	Date(s)
EN 60335-2-23: 2000 + A1: 2008 + A11: 2010 + A2: 2015	WSCT-BA16050021A	WSCT	May 17, 2016
EN 60335-1: 2012 + A11: 2014	WSCT-BA16050021A	WSCT	May 17, 2016
EN 62220: 2008	WSCT-BA16050021A	WSCT	May 17, 2016
EN55014-1: 2006+A1: 2009+A2: 2011	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN55014-2: 1997+A1: 2003+A2: 2008	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN 61000-3-2: 2014	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN 61000-3-3: 2013	WSCT-R&E-16052650A	WSCT	May 17, 2016

**Certified Product:** Curling iron  
**Type Designation:** F998A, F998B, F998B+, F999C, F998D, F998E, F998F, F998G, F998H  
**Rated Input Voltage:** 200-240 V ~, 50 Hz  
**Rated Input Current:** N/A  
**Rated Input Wattage:** 110 W  
**Rated Output:** N/A  
**Protection Class:** II  
**Max. Ambient Temperature:** N/A  
**Other technical data:** N/A  
**Continued on page:** N/A **Appendix:** N/A

**Remark:** The certification is only valid for product(s) in conjunction with the test report(s) above.  
This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s).  
Technical reports and documentation are at the licensee holder's disposal. The sample has been tested by us with listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/30/EU.

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.  
Building A, Baoan Science & Technology Park, Baoan  
Road, Tangxia, Shiyuan, Bao'an District, Shenzhen, Guangdong, China  
TEL: 86-755-26996192 E-mail: market@wsct.org.cn Date of Issue: 28/04/2016 (day/month/year)  
FAX: 86-755-26996253 http://www.wsct-cert.com

CE The CE marking may be used if all relevant and effective EC Directives are complied with.



Shenzhen SEM.Test Technology Co., Ltd.  
1/F, Building A, Hongwei Industrial Park, Luoxian 2nd Road,  
Bao'an District, Shenzhen, P.R.C. (518101)

## CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

**Report No.** : STR16048003E  
**Applicant** : Shenzhen Fashion Beauty Technology Co., Ltd.  
**Address** : Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China  
**Manufacturer** : DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD  
**Address** : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, China  
**Description of Product** : HAIR IRON  
**Model No.** : See Model List  
**Trade Name** : /  
**Test Standards** : EN 55014-1:2006+A1:2009+A2:2011  
EN 61000-3-2:2014  
EN 61000-3-3:2013  
EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.



Test Laboratory

*Jandy So*

Jandy So  
Supervisor

Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.  
Tel: +86-755-31663308 Fax: +86-755-31663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listed model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b> Shenzhen Fashion Beauty Technology Co Ltd	<b>Manufacturer:</b> Dongguan Fashion Beauty Technology Co., Ltd
<b>Address:</b> Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xiang Road And Xinhua Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA	<b>Address:</b> Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
<b>Country:</b> China	<b>Country:</b> China
<b>Contact:</b> Mr. Jacky Deng	<b>Contact:</b> Mr. Zhonghua Deng
<b>Phone:</b> +86-755-29553391	<b>Phone:</b> +86-769-85162022
<b>FAX:</b> +86-755-27366587	<b>FAX:</b> +86-769-85161322
<b>Email:</b> beauty@126.com	<b>Email:</b> beauty@126.com
<b>Party Authorized To Apply Mark:</b> Same as Manufacturer	
<b>Report Issuing Office:</b> Intertek Testing Services Shenzhen Ltd. Guangzhou Branch	

Control Number: 4003728 Authorized by: Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability for any party other than the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow-up Services are for the purpose of ensuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA, Inc.  
545 East Algonquin Road, Arlington Heights, IL 60005  
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1872

<b>UL 859</b> Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances
<b>CSA E60335-114E</b> Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements
<b>CSA E60335-2-23</b> Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2-23: Particular Requirements For Appliances For Skin or Hair Care
<b>Product:</b> Hair Straightener

**الاختبارات التي نقوم بها مراقبة الجودة 100**



Certificate of Registration

This is to certify that the Quality Management System of

**Dongguan Fashion Beauty Technology Co., Ltd.**

Organization Code : 9144190059407804XU  
Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China  
Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

**ISO 9001:2008**

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.  
The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)  
SNQA's website : www.snqa.com.cn

  
 Managing Director

Certificate Number **28450**

Date: 11 January 2013  
Reissue Date: 11 January 2016  
Valid Until: 14 September 2018  
EAC Code: 18





The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 213 held by NQA.  
NQA is a trading name of NQA Certification Limited, Registration No 20201786. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU8 5ZJ, UK.  
This certificate is the property of NQA and must be returned on request.

Tests we do to make sure the quality		
Test	Testing time	Verified
Salt Spray Tester	100000 hours	✓
Grounding Resistance Tester	100000 hours	✓
Hi-Pot Tester	100000 hours	✓
Digital Power Meter	100000 hours	✓
Aging Test Machine	100000 hours	✓
Electric Safety Test Machine	100000 hours	✓

**كل عام في إيطاليا، دبي، الولايات المتحدة الأمريكية، روسيا، هونغ كونغ. Cosmoprof نحن حضور عرض الجمال إذا أثبت إلى أي من المعارض، فسوف تكون على دراية حاكمي، وهو شخص مسؤول وموثوق به. ج**



**سؤال وجواب:**

هل يمكنني الحصول على عينات مجانية من منتجاتك؟  
 نعم، يمكننا توفير عينات مجانية من منتجاتنا لك. يرجى الاتصال بنا على رقم الهاتف 16 للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على أسعار الجملة؟  
 نعم، يمكننا توفير أسعار الجملة لك. يرجى الاتصال بنا على رقم الهاتف 1000 للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على خدمات التوصيل؟  
 نعم، يمكننا توفير خدمات التوصيل لك. يرجى الاتصال بنا على رقم الهاتف 86+ 13823651633 للحصول على مزيد من التفاصيل.

a: هل يمكنني الحصول على خدمات الصيانة؟  
 نعم، يمكننا توفير خدمات الصيانة لك. يرجى الاتصال بنا على رقم الهاتف 10-7 للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على خدمات التدريب؟  
 نعم، يمكننا توفير خدمات التدريب لك. يرجى الاتصال بنا على رقم الهاتف spay shinny للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على خدمات التوزيع؟  
 نعم، يمكننا توفير خدمات التوزيع لك. يرجى الاتصال بنا على رقم الهاتف 60-45 days للحصول على مزيد من التفاصيل.

هل يمكنني الحصول على خدمات التسويق؟  
 نعم، يمكننا توفير خدمات التسويق لك. يرجى الاتصال بنا على رقم الهاتف للحصول على مزيد من التفاصيل:

2) هل يمكنني الحصول على خدمات الدعم الفني؟  
 نعم، يمكننا توفير خدمات الدعم الفني لك. يرجى الاتصال بنا على رقم الهاتف للحصول على مزيد من التفاصيل.