

Détails du produit:

Shell: Injection noir

Plaque: diamant Plaque de revêtement, kératine, huile d'argan, nano-argent infusé

Taille de la plaque: 24 * 90mm

Chauffage: MCH Chauffage Système / chauffage en céramique

Température: max Température 240(470f)ou plus

Affichage de la température: 6 Indication numérotation numérique de la température numérique

Puissance: 110W, 50/60Hz, 110v-220V, double tension

Cordon: Enchevêtrement à 360 ° Cordon pivotant gratuit, câble PVC de 2,65-3 m (9 pieds)

Plug: Plug UE, US Plug, Plug UK, PSE

Certification: CE, Rhos, cetlus, ccc, cb

Modèle Nom:

EHS-7422B fer à lisser

Matériel:

Céramique, ANIMAUX

MOQ:

1-100 000 pcs

Produit Taille:

Longueur 255 * largeur 28mm

Avantage:

Professionnel Utilisation du salon, assiette de finition diamant

Logo:

À l'écran de soie Impression sur coquille, autocollant des deux côtés

Fil étiqueter:

Personnalisé

Paquet:

Occidental Europe, Amérique du Nord, Asie, Moyen-Orient

Nombre des employés:

200-500 gens

Annuel Chiffre d'affaires:

USD 50-200 millions



EHS-7422 dans la vague de maïs Assiette + Plaque de menthe Couleurs:

La plaque peut aussi être Fabriquée dans une plaque sertite, plaque normale si nécessaire.

Les couleurs de la plaque peuvent être couleur menthe, couleur de placage d'or, couleur de revêtement de diamant jaune, couleur noire etc.



Vente marketing Points de EHS-7422:

Réelle haute température Revêtement de diamant fer plat spécialement pour les cheveux grossiers, les cheveux afro.

- 1, Température élevée de 240 ° C-245 ° C (460-470F) pour les cheveux éthyques;
- 2, Conçu de manière ergonomique pour l'économie de main-d'œuvre et la forte déchirure de cheveux;
- 3, Plaques flottantes en revêtement diamant, super lisses, beaucoup d'adhérence mais ne tire jamais les

cheveux;

4, Huile d'argan ajoutée, avec 1/1000 quantité dans la formule de peinture, faites vos cheveux Plus sain.

5, Système de chauffage avancé, chauffage rapide en 9 secondes, chauffage rapide et restauration;

6, Cordon pivotant à 360 degrés, longueur du salon de 3 m;

7, modèle similaire à ghd, créer, mais avec un prix de fabrication plus abordable;



Emballage & Livraison:

Détails de l' emballage:

- * emballage de boîte-cadeau
 - * Taille de GB: 10.5x30x5.4cm
 - * 24pcs / CTN
 - * Taille du carton: 44x31.5x34.5cm
 - * G.W: 16.2kgs
 - * N.W: 9.6kgs
 - * 1x20gp = 14500pcs
 - * 1x40gp = 29000PCS
- 30 jours après le dépôt

Livraison Détail:



Comment utiliser:

1, Cheveux redressant

Pour un style optimal, les cheveux doivent être propres et sec.

1, a commencé par sectionner les cheveux dans Des brins de pas plus de 1/2 pouce d'épaisseur et de 2 pouces de large.

2, prenez une section de cheveux à la fois et placer le fer aussi près que possible de la racine et glisser vers les extrémités sans s'arrêter.

3, ne tirez pas trop vite, redresser chaque section une fois et lentement donnera un résultat beaucoup mieux que Dresser chaque section plusieurs fois rapidement.

4, Répétez ce processus jusqu'à ce que toutes les sections soient complété.



Création de boucles et de flips

Pour un style optimal, les cheveux doivent être propres et sec.

1, à partir de la section des cheveux dans Des brins de pas plus de 1/2 pouce d'épaisseur et de 2 pouces de large.

2, Placez le fer aussi près de la racine que possible et glisser à travers les cheveux lentement dans un mouvement descendant simultanément tordre et transformer le fer.

3, ne bouclez pas trop vite, curling chacun section une fois et lentement donnera un résultat beaucoup mieux que de curling chaque section plusieurs fois rapidement.

Répétez ce processus jusqu'à ce que toutes les sections soient complété.





Pourquoi nous?

- (1) En tant que fabricant d'outils de cheveux, nous avons des professionnels et l'équipe de R & D expérimentée, des installations complètes de la conception à la moulure à Lignes d'assemblage - y compris la conception Outlook, l'arrangement de la PCB, l'outillage et l'emballage Conception Outlook.
- (2) Système de contrôle de qualité fiable et strict. 100% des tests seront effectués pour tous nos produits avant l'expédition pour vous assurer que chaque unité en parfait état.
- (3) Prix compétitif. Nous sommes spécialisés dans ce ligne comme un fabricant d'outils de cheveux pendant 16 ans et nous sommes confiants de fournir vous le meilleur produit de qualité avec un prix raisonnable. Professionnel seulement pour les cheveux outils .
- (4) Nous vous fournissons efficacement et complet pré-service et après-service.
- (5) Les OEM et ODM sont acceptables.
- (6) Vous pouvez nous donner votre idée de produit et Dites-nous facilement ce que vous

voulez, et nous allons vous réaliser.

(7) Acheter directement à partir de l'usine vous donne plus prix raisonnable et meilleur service et un esprit pacifique après l'achat.

(8) Communication et soutien efficaces de Notre consultant en vente professionnel.

CERTIFICATION Of Compliance			
Certificate No. WSCT16050000121ES	Page 0001		
Brand Name ASTRA	Order No. WSCT-RAE-2016202		
Applicant information Shenzhen Fashion Beauty Technology Co., Ltd. Room 2023 Unit A, Building One, Mei Li Times Garden, Interchange of Xi Xiang Road and Xin Hu Road XH Xiang Street, Baoan District Shenzhen China 518102		Manufacturing information Dongguan Fashion Beauty Technology Co., Ltd. Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900, P.R.China	
Test Mark	Standard(s)	Test Report(s)	Issued By Date(s)
	EN 60335-2-23: 2003 + A1: 2008 + A11: 2013 + A2: 2015 EN 60335-2: 2012 + A11: 2014 EN 62233: 2008 EN 55014-1: 2006 + A1: 2009 + A2: 2011 EN 55014-2: 1997 + A1: 2001 + A2: 2008 EN 61000-3-2: 2014 EN 61000-3-3: 2013	WSCT-BA16050021A WSCT-BA16050021A WSCT-BA16050021A WSCT-BAE16053656A WSCT-BAE16053656A WSCT-BAE16053656A WSCT-BAE16053656A	WSCT May 17, 2016 WSCT May 17, 2016 WSCT May 17, 2016 WSCT May 17, 2016 WSCT May 17, 2016 WSCT May 17, 2016
<p>Certified Product: Curling iron Type Designation: F998A, F998B, F998C, F998D, F998E, F998F, F998G, F998H Rated Input Voltage: 200-240 V ~, 50 Hz Rated Input Current: N/A Rated Input Wattage: 110 W Rated Output: N/A Protection Class: II Max. Ambient Temperature: N/A Other technical data: N/A Continued on page: N/A Appendix: N/A</p> <p>Remarks: The certification is only valid for product(s) in conjunction with the test report(s) above. This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s). Technical reports and documentations are at the licensee holder's disposal. The sample has been tested by us with listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/30/EU.</p> <p align="center">Certification Body: Wang Fengling</p> <p>World Standardization Certification & Testing (Shenzhen) Co., Ltd. Building A, Baoan Science & Technology Park, Baoan Road, Tangbu, Shiyao, Bao'an District, Shenzhen, Guangdong, China TEL: +86-755-26996192 E-mail: market@wsct.org.cn Date of Issue: 28/04/2016 (day/month/yr) FAX: 86-755-26996253 http://www.wsct-cert.com</p> <p>CE The CE marking may be used if all relevant and effective EC Directives are complied with CE</p>			



Shenzhen SEM.Test Technology Co., Ltd.
1/F, Building A, Hongwei Industrial Park, Luodian 2nd Road,
Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

Report No. : STR16048003E
Applicant : Shenzhen Fashion Beauty Technology Co., Ltd.
Address : Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China
Manufacturer : DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD
Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, China

Description of Product : HAIR IRON
Model No. : See Model List
Trade Name : /

Test Standards : EN 55014-1:2006+A1:2009+A2:2011
 EN 61000-3-2:2014
 EN 61000-3-3:2013
 EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.



Test Laboratory

Jandy So
 Supervisor
 Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.
 Tel: +86-755-33663308 Fax: +86-755-33663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listed model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shenzhen Fashion Beauty Technology Co Ltd	Manufacturer: Dongguan Fashion Beauty Technology Co., Ltd
Address: Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xiang Road And Xinhu Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA	Address: Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
Country: China	Country: China
Contact: Mr. Jacky Deng	Contact: Mr. Zhonghua Deng
Phone: +86-755-29553391	Phone: +86-769-85162022
FAX: +86-755-27366587	FAX: +86-769-85161322
Email: beauty@126.com	Email: beauty@126.com
Party Authorized To Apply Mark: Same as Manufacturer	
Report Issuing Office: Intertek Testing Services Shenzhen Ltd. Guangzhou Branch	

Control Number: 4003728 Authorized by: Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow-up Services are for the purpose of ensuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purpose of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA, Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1872

Standard(s):	UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances CSA E60335-14E Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2-23: Particular Requirements For Appliances For Skin or Hair Care
Product:	Hair Straightener



Certificate of Registration

This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.

Organization Code : 9144190059407804XU
Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China
Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.
The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)
SNQA's website : www.snqa.com.cn


 Managing Director

Certificate Number **28450**

Date: 11 January 2013
Reissue Date: 11 January 2016
Valid Until: 14 September 2018
EAC Code: 18






The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 213 held by NQA. NQA is a trading name of NQA Certification Limited, Registration No 20251786. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU8 5EZ, UK. This certificate is the property of NQA and must be returned on request.

Testaments Nous faisons pour le contrôle de la qualité 100%:

Tests we do to make sure the quality		
Test	Testing time	Verified
Salt Spray Tester	100000 hours	✓
Grounding Resistance Tester	100000 hours	✓
Hi-Pot Tester	100000 hours	✓
Digital Power Meter	100000 hours	✓
Aging Test Machine	100000 hours	✓
Electric Safety Test Machine	100000 hours	✓



MOULD MACHINE

Q & A:

1. Q: Êtes-vous une usine ou une entreprise de négoce?

A: Nous sommes le usine originale pour outils de cheveux, y compris le fer plat, le fer à friser, les cheveux Sèche-linge, pinceau à air chaud pendant 16 ans.

2. Q: Puis-je avoir mon propre produit personnalisé?

A: Oui, vous pouvez personnaliser la couleur, le logo, la conception, le paquet, la marque de carton, etc. tant que votre La quantité de commande est de 1000 pcs ou plus. C'est exactement ce que nous faisons et quel est notre travail est .

3. Q: Comment et quand puis-je obtenir le prix pour le produit que je suis intéressé par?

A: Nous vous répondrons dans la première fois dans les 24 heures. Si c'est une urgence, appelez simplement +86 13823651633

4 Q: Comment peut-il obtenir un échantillon pour vérifier la Qualité et tout?

A: Les frais d'échantillons seront Être payé par l'acheteur, mais il sera remboursé après avoir placé une commande avec nous. Il prend habituellement 7-10days pour que les échantillons soient prêts.

5 Q: Puis-je faire ma propre marque de marque?

A: Oui. Tu peux dire nous le n ° de pantone ou envoyez une puce d'échantillons de couleur américaine. Nous pouvons faire n'importe quel Spay Shinny Couleur d'effet ou couleur de transfert d'eau ou presque toutes les couleurs que vous voulez.

6 Q: Qu'en est-il du délai de la production de masse?

A: ça va prendre environ 45-60 jours pour la production de masse après le dépôt reçu et tous les détails confirmé.

7. Q: Comment va votre usine concernant Contrôle de la qualité dans le travail?

A: La qualité est priorité! Chaque travailleur conserve le processus de contrôle de la qualité à l'esprit de la même Commencant à la fin:

1) tout le brut Les matériaux que nous utilisons sont respectueux de l'environnement et des certificats réglementés.

2) qualifié et Les travailleurs expérimentés se soucient de tous les détails lors de la manipulation de la production et de l'emballage traiter.

3) Contrôle de la qualité Le département est responsable de la vérification de la qualité dans chaque processus.



Reception



ASSEMBLY LINE 1



Meeting and show room



MOULDS3



Vous pouvez aussi s'intéresser à :

FBT est le véritable fabricant pour Salon professionnel Utilisez des lisses de cheveux, nos fers plats sont favorisés par le salon Fournitures, fournitures de beauté, porte-outils.

Voir plus de modèles du même diamant Famille de revêtement, similaire à EHS-7422 Revêtement de diamant Fer à repasser:

<https://www.hierstraightenersupplier.com/products/super-high-temperature-480f-240c-Professional-quality-salon-utilisateur-professionnel-hair-flat-iron-for-keratin.html#.ymheioAzpy>



