

**Product Specifications:**

Model:	F998BK Mini Hair Flat Iron
Material:	ABS Plastic
MOQ:	1-100, 000pcs
Dimensions:	200 mm * 20 mm
Weight:	Approx. 15g, 0.5 oz
Power:	15W
Temperature:	Adjustable (150-200°C)
Plate Size:	80*17mm
Color:	Light Green
Features:	360 degree swivel cord, ON/OFF switch, ceramic plates
Price:	USD50-200


**Product Description:**

F998BK, Mini Hair Flat Iron, ABS Plastic, 15W, 200\*20mm, 80\*17mm, 15g, 0.5 oz, 150-200°C, 360 degree swivel cord, ON/OFF switch, ceramic plates.

**Mini hair flat iron**

Product size: 200\*20mm

Plate size: 80\*17mm



**F998BK Product Details:**

F998BK Mini Hair Flat Iron, ABS Plastic, 15W, 200\*20mm, 80\*17mm, 15g, 0.5 oz, 150-200°C, 360 degree swivel cord, ON/OFF switch, ceramic plates.



**LIISO LIISO F998BK:**

LIISO LIISO LIISO LIISO.



**F998BK LIISO LIISO LIISO LIISO:**

- \* (LIISO LIISO LIISO) LIISO LIISO LIISO, LIISO LIISO LIISO LIISO.
- \* LIISO-LIISO LIISO LIISO LIISO, LIISO LIISO LIISO
- \* LIISO LIISO LIISO frizzs LIISO LIISO
- \* LIISO LIISO LIISO LIISO LIISO LIISO
- \* LIISO LIISO LIISO baceteria LIISO 99.9%
- \* LIISO, LIISO LIISO LIISO LIISO
- \* LIISO LIISO




**□□ & □□:**

<p>□□ □□ □□:</p>	<ul style="list-style-type: none"> <li>* □ □□ □□□ □□</li> <li>* □□□ □□ 10.5 * 30 * 5.4 c m</li> <li>* 50pcs/ctn</li> <li>* □□ □□: 44 * 19.6 * 21.4 c m</li> <li>* □□: 16.2 K G</li> <li>* □□□ □ □: 6.0 K G</li> <li>* 1 * 20GP: 14500pcs</li> <li>* 1 * 40GP: 29000pcs</li> </ul>
<p>□□ □□ □□:</p>	<p>□□ □ 30 □</p>

**□□□ □□□ □ □ □□:**

□□□ □□  
 □□: □□ □□ □□, □□ □□ □□ □□ □□□□ □ □□□□ □□ □□□□.  
 □□ □□□ □□ □□□ □□□□ □□□□:  
 □□ "□□ □□" □□ □ □□ □□□.  
 □□ □□ □□ □□ □□ □□□□  
 □□ □□ □□□ □□ □□ □□ □□ □□ □□ □□□□ □□  
 □ □□ □□ □ □□ □□□ □□ □□□□.  
 □□□□ □□ □□ □, "□□"□ □□□□. □□ □□ □□ □□□□□.



### F998BK 00 000 00 000 00:

00 00 00 00 00 0 0 0000, silkier 0000 00 00 00 000 000 0 000 00 000 0 0 00 0 000000. FBT0 0 00 00 000 00 00 00 0 00 00 0 0:

00 000-00000-00 0000 000 00 000 F201B

000 00 00-00-00-0 000 00 F601BC

00 00 000 F201 borned 0 00 000 00-00

