

**Product Details:**

Shell: injection black

Plate: diamond coating plate, keratin, argan oil, nano-silver infused

Plate Size: 24\*90mm

Heater: MCH heating system/ceramic heater

Temperature: MAX temperature 240°C/470°F or higher

Temperature display: 6 indication dial digital temperature display

Power: 110W, 50/60HZ, 110V-220V, dual voltage

Cord: 360° tangle free swivel cord, 2.65-3M(9 feet) PVC wire

Plug: EU plug, US plug, UK plug, PSE plug

Certification: CE, Rhos, cETLus, CCC, CB

|                      |  |
|----------------------|--|
| Model name:          | EHS-7422B hair straightener                          |
| Material:            | Ceramic, PET   |
| MOQ:                 | 1-100,000 pcs  |
| Product size:        | Length 255 * width 28mm                              |
| Advantage:           | Professional salon usage, diamond finish plate       |
| Logo:                | Silk-screen printing on shell, sticker on both sides |
| Wire label:          | Customized   |
| Technical label:     | Customized   |
| Package:             | Magnetic gift box, single box, double box, etc       |
| Main markets:        | Western Europe, North America, Asia, Middle East     |
| Number of employees: | 200-500 people                                       |
| Annual Turnover:     | USD 50-200 million                                   |



**EHS-7422 in corn wave plate + mint plate colors:**

The plate can also be made into crimper plate, normal plate if need.

The plate colors can be mint color, gold plating color, yellow diamond coating color, black color and so on.



**Marketing selling points of EHS-7422:**

Real high-temperature diamond coating flat iron specially for coarse hair, afro hair.

- 1, High temperature of 240°C-245°C(460-470F) for ethnic hair;
- 2, Ergonomically designed for labor saving and strong rip of hair;
- 3, Diamond coating floating plates, super smooth, much grip but never pulls hair;
- 4, Argan oil added, with 1/1000 amount in the paint formula, make your hair more healthier.
- 5, Advance heating system, fast heat up in 9 seconds, quick heating and restoration;

6, 360 degree swivel cord, 3m salon length;

7, similar model to GHD, CREATE, but with a more affordable manufacturing price;



### **Packaging & Delivery:**

Packaging Details:

Delivery Detail:

- \*gift box packing
- \*size of GB: 10.5x30x5.4cm
- \*24pcs/ctn
- \*size of carton: 44X31.5X34.5cm
- \*G.W: 16.2kgs
- \*N.W: 9.6kgs
- \*1X20GP=14500pcs
- \*1X40GP=29000pcs
- 30 days after deposit



### **How to use:**

#### **1, STRAIGHTENING HAIR**

For optimum styling, hair should be clean and dry.

- 1, Started by sectioning the hair into strands of not more than 1/2-inch thick and 2 inches wide.
- 2, Take one section of hair at a time and place iron as close to the root as possible and slide through to the ends without stopping.
- 3, Do not pull through too quickly, straightening each section once and slowly will give a far better result than straightening each section multiple times quickly.
- 4, Repeat this process until all sections are completed.



## CREATING CURLS AND FLIPS

For optimum styling, hair should be clean and dry.

- 1, Starting by sectioning the hair into strands of not more than 1/2-inch thick and 2 inches wide.
- 2, Place the iron as close to the root as possible and slide through the hair slowly in a downward motion simultaneously twisting and turning the iron.
- 3, Do not curl too quickly, curling each section once and slowly will give a far better result than curling each section multiple times quickly.

Repeat this process until all sections are completed.





### **Why us?**

- (1) As a hair tools manufacturer, we have professional and experienced R&D team, full facilities from design to molding to assembly lines—including outlook design, PCB arrangement, tooling and packaging outlook design.
- (2) Reliable and strict quality control system. 100% testings will be done for all of our products before shipment to make sure every unit in perfect condition.
- (3) Competitive price. We specialize in this line as a hair tools manufacturer for 16 years, and we are confident to provide you the best quality product with reasonable price. Professional only for hair tools .
- (4) We provide you with efficient and comprehensive pre-service and after-service.
- (5) Both OEM and ODM are acceptable.
- (6) You can give us your product idea and easily tell us what you want, and we will make it come true.
- (7) Buying directly from factory give you more reasonable price and better service and a peaceful mind after purchasing.
- (8) Efficient communication and support from our professional sales consultant.



**CERTIFICATION**  
Of Compliance

**WSCT**

Certificate No. WSCT16050000121ES Page 0001

Brand Name: ASTRA Order No. WSCT-R&E-2016020 Document revision: 1.0 Latest expiration date: 17/05/2021 (day/month/year)

**Applicant information**  
Shenzhen Fashion Beauty Technology Co., Ltd.  
Room 2023 Unit A, Building one, Mei Li Times Garden,  
Interchange of Xi Xiang Road and Xian Yu Road XJ  
Xiang Street, Bao'an District Shenzhen China 518102

**Manufacturing information**  
Dongguan Fashion Beauty Technology Co., Ltd.  
Workshop Building 6, Huaifeng Road, Huaide  
Community, Humen Town, Dongguan, Guangdong,  
523506, P.R.China

**Test Mark**

| Standard(s)   | Test Report(s)     | Issued By | Date(s)      |
|---|--------------------|-----------|--------------|
| EN 60335-2-21: 2003 + A1: 2008 + A11: 2013 + A2: 2015 | WSCT-SEA160500021A | WSCT      | May 17, 2016 |
| EN 60335-1: 2012 + A11: 2014                          | WSCT-SEA160500021A | WSCT      | May 17, 2016 |
| EN 62233: 2008  | WSCT-SEA160500021A | WSCT      | May 17, 2016 |
| EN50104-1: 2006+A2: 2009+A2: 2010                     | WSCT-R&E-16053650A | WSCT      | May 17, 2016 |
| EN50104-2: 1997+A1: 2003+A2: 2008                     | WSCT-R&E-16053650A | WSCT      | May 17, 2016 |
| EN 61000-3-2: 2014                                    | WSCT-R&E-16053650A | WSCT      | May 17, 2016 |
| EN 61000-3-3: 2011                                    | WSCT-R&E-16053650A | WSCT      | May 17, 2016 |

**Certified Product:** Curling iron  
**Type Designation:** F998A, F998B, F998B+, F999C, F998D, F998E, F998F, F998G, F998H  
**Rated Input Voltage:** 200-240 V~, 50 Hz  
**Rated Input Current:** N/A  
**Rated Input Wattage:** 110 W  
**Rated Output:** N/A  
**Protection Class:** II  
**Max. Ambient Temperature:** N/A  
**Other technical data:** N/A  
**Continued on page:** N/A **Appendix:** N/A

**Remarks:** The certification is only valid for product(s) in conjunction with the test report(s) above.  
This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s).  
Technical reports and documents are at the licensee holder's disposal. The sample has been tested by us with  
listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/53/EU.

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.  
Building A, Baoan Science & Technology Park, Baoan  
Road, Tangliu, Shiyuan, Bao'an District, Shenzhen, Guangdong, China  
TEL: +86-755-26996192 E-mail: market@wsct.org.cn Date of issue: 28/04/2016 (day/month/year)  
FAX: +86-755-26996253 http://www.wsct-cert.com

Wang Fengfeng

WSCT16050000121ES

CE The CE marking may be used if all relevant and effective EC Directives are complied with.



Shenzhen SEM Test Technology Co., Ltd.  
1/F, Building A, Hongwei Industrial Park, Luoxian 2nd Road,  
Bao'an District, Shenzhen, P.R.C. (518101)

## CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

**Report No.** : STR16048003E  
**Applicant** : Shenzhen Fashion Beauty Technology Co., Ltd.  
**Address** : Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China  
**Manufacturer** : DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD  
**Address** : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, China  
**Description of Product** : HAIR IRON  
**Model No.** : See Model List  
**Trade Name** : /  
**Test Standards** : EN 55014-1:2006+A1:2009+A2:2011  
EN 61000-3-2:2014  
EN 61000-3-3:2013  
EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.

Test Laboratory



Jandy So  
Supervisor  
Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.  
Tel: +86-755-31663308 Fax: +86-755-31663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

|   |   |
|---|---|
| <b>Applicant:</b> Shenzhen Fashion Beauty Technology Co Ltd   | <b>Manufacturer:</b> Dongguan Fashion Beauty Technology Co., Ltd  |
| <b>Address:</b> Room 2623, Unit A, Building One, Meil Times Garden, Interchange of Xixiang Road And Xinhui Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA | <b>Address:</b> Workshop Building 6, Huailong Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China |
| <b>Country:</b> China   | <b>Country:</b> China   |
| <b>Contact:</b> Mr. Jacky Deng  | <b>Contact:</b> Mr. Zhonghua Deng   |
| <b>Phone:</b> +86-755-29553391  | <b>Phone:</b> +86-769-85162022  |
| <b>FAX:</b> +86-755-27365587  | <b>FAX:</b> +86-769-85161322  |
| <b>Email:</b> beauty@126.com  | <b>Email:</b> beauty@126.com  |
| <b>Party Authorized To Apply Mark:</b> Same as Manufacturer   |   |
| <b>Report Issuing Office:</b> Intertek Testing Services Shenzhen Ltd. Guangzhou Branch  |   |

Control Number: 4003728

Authorized by:

Thomas J. Patterson, Certification Manager



Intertek

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability for any party, other than the Client, in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow-up Services are for the purpose of ensuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA, Inc.  
545 East Algonquin Road, Arlington Heights, IL 60005  
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1872

UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances

**Standard(s):** CSA E60335-14E Issued: 2003/04/01 Ed: 4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements

CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety Part 2-23: Particular Requirements For Appliances For Skin or Hair Care


**Product:** Hair Straightener

ATM for Report GZ12060610-1

Page 1 of 2

ATM Issued: 24-May-2016  
ED 18.2.10 (7-Jan-13) Mandatory

Certificate of Registration



This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.

Organization Code : 9144190059407804XU

Operation Address : Workshop Building 6, Huailong Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China  
Registered Address : Workshop Building 6, Huailong Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.

The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)  
SNQA's website : www.snqa.com.cn

*M. Gao*  
Managing Director

Certificate Number 28450

Date: 11 January 2013  
Reissue Date: 11 January 2016  
Valid Until: 14 September 2018  
EAC Code: 18



The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 213 held by NQA.  
NQA is a trading name of NQA Certification Limited, Registration No 20201756. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU5 5EX, UK.  
This certificate is the property of NQA and must be returned on request.

## Testings we do for quality control 100%:

| Tests we do to make sure the quality |              |          |
|--------------------------------------|--------------|----------|
| Test                                 | Testing time | Verified |
| Salt Spray Tester                    | 100000 hours | ✓        |
| Grounding Resistance Tester          | 100000 hours | ✓        |
| Hi-Pot Tester                        | 100000 hours | ✓        |
| Digital Power Meter                  | 100000 hours | ✓        |
| Aging Test Machine                   | 100000 hours | ✓        |
| Electric Safety Test Machine         | 100000 hours | ✓        |



## MOULD MACHINE

### Q&A:

1. Q: Are you a factory or trading company?

A: We are the original factory for hair tools including hair flat iron, curling iron, hair dryer, hot air brush for 16 years.

2. Q: Can I have my own customized product?

A: Yes, you can customize for color, logo, design, package, carton mark, etc. as long as your order quantity is 1000pcs or more. That is exactly what we do and what our job is .

3. Q: How and when can I get the price for the product I am interested in?

A: We will reply you in the first time within 24 hours. If it is an emergency, just call +86 13823651633

4. Q: How can I get a sample to check the quality and everything?

A: Sample fee will be paid by the buyer, but it will be refunded after placing an order with us. It usually takes 7-10days to have the samples ready.

5. Q: Can I make my own brand color?

A: YES. You can tell us the pantone No. or send us color sample chip. We can do any spay shinny effect color or water transfer color or almost any color you want.

6. Q: what about the lead time for mass production?

A: It will take about 45-60days for mass production after deposit received and all the details confirmed.

7. Q: How does your factory do regarding quality control in work?

A: Quality is priority! Every worker keeps the quality control process in mind from the very beginning to the very end:



- 1) All the raw materials we are using are environmental-friendly and certificate regulated.
- 2) Skilled and experienced workers care every detail when handling the producing and packing process.
- 3) Quality Control Department is responsible for quality checking in each process.



Reception



ASSEMBLY LINE1



Meeting and show room



MOULDS3



**You may also be interested in :**

FBT is the real manufacturer for professional salon use hair straighteners, our flat irons are favored by salon supplies, beauty supplies, hair tool brandholders.

View more models from the same diamond coating family, similar to EHS-7422 diamond coating flat iron:

<https://www.hairstraightenersupplier.com/products/Super-High-temperature-480F-240C-professional-quality-salon-use-professional-hair-flat-iron-for-kera.html#.YMhEI0gzZPY>



