

Kabuk: Enjeksiyon bitirme veya gül altın boyalı bitirme

Plaka: elmas kaplama plakası, keratin, argan yağı, nano-gümüş infüzyon veya özelleştirilmiş nano titanyum plakalar

Plaka Boyutu: 30 * 110mm / 1.5 inç

Isıtıcı: MCH Isıtma sistem / seramik ısıtıcı veya PTC ısıtıcılar.

Sıcaklık: maks Sıcaklık 240 °C(480F)veya daha yüksek

Sıcaklık göstergesi: LCD Görüntüle

Güç: 110W, 50 / 60Hz, 110V-220V, çift voltaj

Kordon: 360 ° dolaşma Serbest Döner Kordon, 2.65-3M (9 Fit) PVC Tel

Fiş: AB Tak, ABD fiş, İngiltere fişi, PSE fişi

Sertifika: CE, Rhos, Cetlus, CCC, CB



Model Adı: F8228B

Malzeme: EVCİL HAYVAN

MOQ: 1000 adet

Güç: 110W, 50 / 60Hz, 110V-220V, çift voltaj

Kordon: 360 ° dolaşma Serbest Döner Kordon, 2.65-3M (9 Fit) PVC Tel veya Özelleştirilmiş

Fiş: AB Tak, ABD fiş, İngiltere fişi, PSE fişi

Sertifika: CE, Rhos, Cetlus, CCC, CB



Kabuk: enjeksiyon bitirme veya boyalı bitirme müşteri gereksinimleri.

Isıtıcı: Yüksek kaliteli ısıtıcı --- PTC veya MCH ısıtıcılar.

Sıcaklık Ayarlar: 240C / 480F'ye kadar

Güç: 120V-240V, 50 / 60Hz, 115W91MIN) / 60W (sabit)

Motor: /

Çift Gerilim 110V-240V

Kordon: 2.65m arapsaçı serbest döner kablosu veya özelleştirilmiş uzunluk ve malzeme

Fiş: ABD fiş, AB tak, BS fişi, İngiltere fişi

Sertifika: CE, Rhos, Cetlus, CCC, CB ETS

Plaka boyutu : 30mm x 110mm

Ağırlık : 380g

Katlanabilir: Hayır



Logo: Özelleştirilmiş
Tel etiketi: Özelleştirilmiş
Teknik Etiket: Özelleştirilmiş
Paket: Özelleştirilmiş
Ana Pazarlar: Batı Avrupa, Kuzey Amerika, Asya, Orta Doğu
Fabrika sayısı Çalışanlar: 80-150



Pazarlama F8228B'nin satış noktaları:

- ✓ Model No.: F8228b
- ✓ Profesyonel Salon Stilist Kullanımı için Saç Düz Demir --- Doğrultma ve Şekillendirici.
- ✓ Tabak Boyutu: 100 * 30mm = 1.2 inç
- ✓ 3 boyutlu Kayan ısıtma plakaları saçları sorunsuz bir şekilde kayabildiğinden emin olun.
- ✓ PTC Isıtıcılar / MCH Isıtıcılar
- ✓ Tabak Yapın: Düz, Crimper, C şekilli, U şeklinde, istediğiniz herhangi bir şekilde.
- ✓ Tabak malzeme: Kore'de yapılan nano gümüş seramik / nano gümüş dayanıklı titanyum / Yenilikçi Kumaş / Kızılötesi Işık Plakası Malzemesi
- ✓ Sıcaklık Aralığı: 240 ° C / 470F'ye kadar --- 160, 180, 200, 220, 240 ° C
- ✓ Hızlı Isıtma: 30'lar 200 ° C'ye kadar ısıtır / 390F
- ✓ Emniyet kilit tasarımı
- ✓ LCD / Dijital ekran tasarımı
- ✓ Soğutma İpucu ve Soğutma Kolu Tasarımı
- ✓ 360 Dönen döner güç kablosu --- 2.65m veya 3m arapsaçı ücretsiz.
- ✓ Güç: 60w
- ✓ Otomatik Kapatma - 1 saat
- ✓ Oem ODM hizmeti mevcuttur
- ✓ Öz Sahip olunan PCB Tasarım Ekibi, Kalıp Geliştirme Ekibi ve Montaj Hatları.
- ✓ Paketleme Tasarım Hizmeti
- ✓ Logo tasarım servisi
- ✓ Kalıp Geliştirme ve Tasarım Hizmeti
- ✓ 100% Markanızı oluşturmanıza yardımcı olmak için özelleştirme hizmeti.



Ambalaj ve Teslimat:

Paketleme Detayları:

* hediye kutusu ambalaj

* GB boyutu: 10.5x30x5.4cm

* 24 adet / ctn

* Kartonun boyutu: 44x31.5x34.5cm

* G.W: 16.2kgs

* N.W: 9.6KGS

* 1x20gp = 14500 adet

* 1x40gp = 29000 adet

Teslimat Detay:

30 mevduat sonrası günler



Nasıl kullanmak:

1, düzleştirme saç

Optimum stil için, saçlar temiz olmalı ve kuru.

1. Başlangıç saçı 1/2 inç kalınlığında ve 2'den fazla olmayan tellere keser inç genişliğinde.
2. Bir tane al Bir seferde saç kesiti ve ütüyü olabildiğince yakındır ve durmadan uçlara kaydırın.
3. Yapamaz Çok hızlı bir şekilde çekin, her bölümü bir kez düzelt ve yavaşça verecek Her bölümü birden çok kez hızlı bir şekilde düzeltmekten çok daha iyi bir sonuç.
4. S Plaka eğrisi saçta çok güzel bir kayma yapabilir, bu yüzden insanlar için daha kolay saçlarını zahmetsizce taramak.
5. Tekrar et Tüm bölümler tamamlanıncaya kadar bu işlem.



Yaratma Bukleler ve çeviriler

Optimum stil için, saçlar temiz olmalı ve kuru.

1. Başlangıç saçı 1/2 inç kalınlığında ve 2'den fazla olmayan tellere keser inç genişliğinde.
2. Yerleştirmek iyon köke mümkün olduğunca yakın ve saçın içinden yavaşça kaydırın Demirin aynı anda bükülmesi ve çevirilmesi aşağı doğru hareket.
3. Yapamaz Her bölümü bir kez ve yavaş yavaş kıvrırmak çok hızlı bir şekilde kıvrın sonuç, her bölümü birden çok kez kıvrılmaktan daha hızlı.
4. Tekrar et Tüm bölümler tamamlanıncaya kadar bu işlem.



Neden Bizi Seçin?

- (1) Bir saç araçları üreticisi olarak, profesyonelimiz var ve deneyimli Ar-Ge ekibi, tasarımdan kalıplama için tam olanaklar Montaj hatları-Outlook tasarımı, PCB düzenlemesi, takım ve paketlenme dahil Outlook tasarımı.
- (2) Güvenilir ve sıkı kalite kontrol sistemi. Gönderimden önce tüm ürünlerimiz için% 100 test yapılacaktır. mükemmel durumda her birim.
- (3) Rekabetçi fiyat. Bu konuda uzmanım 16 yıldır bir saç araçları üreticisi olarak satır ve biz sağladığımızdan emin Makul fiyata sahip en iyi kalitede ürün. Sadece saç için profesyonel araçlar .
- (4) Size verimli ve kapsamlı bir şekilde sunuyoruz hizmet öncesi ve servis sonrası.
- (5) Hem OEM hem de ODM kabul edilebilir.
- (6) Bize ürün fikrinizi verebilir ve Bize ne istediğinizi söyleyin ve gerçekleştireceğiz.
- (7) Doğrudan fabrikadan satın almak size daha fazlasını verir Uygun fiyat ve daha iyi hizmet ve satın aldıktan sonra huzurlu bir akla.
- (8) Verimli iletişim ve destek Profesyonel satış danışmanımız.



INJECTION MACHINES



MOULD MACHINE



MOULD SHOP



MOULDS2



AC power source 1



Electrical parameter tester



Electrical parameter tester



Life test machine



Power cord flexing test system



Salted steam testing machine



Voltage withstand tester



LOGO printing machine 2



AC power source 2

CERTIFICATION
Of Compliance

WSCT

Certificate No. WSCT16050000121ES	Page 0001	Brand Name ASTRA	Order No. WSCT-R&E-2016202	Document revision 1.0	Latest expiration date 17/05/2021 (day/month/year)
--------------------------------------	--------------	---------------------	-------------------------------	--------------------------	---

Applicant information Shenzhen Fushun Beauty Technology Co., Ltd. Room 2623 Unit A, Building One, Meili Times Garden, Interchange of Xi Xiang Road and Xin Hu Road XG Xiang Street, Baoan District Shenzhen China 518102	Manufacturing information Dongguan Fushun Beauty Technology Co., Ltd. Workshop Building 6, Huafeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523500, P.R.China
---	--

Standard(s)	Test Report(s)	Issued By	Date(s)
EN 60335-2-23:2009+A1:2008+A11:2010 +A2:2011	WSCT-BA1604621A	WSCT	May 17, 2016
EN 60335-1:2012+A11:2014	WSCT-BA1604621A	WSCT	May 17, 2016
EN 62225:2008	WSCT-BA1604621A	WSCT	May 17, 2016
EN55014-1:2006+A1:2009+A2:2011	WSCT-R&E-1603630A	WSCT	May 17, 2016
EN55014-2:2007+A1:2011+A2:2008	WSCT-R&E-1603630A	WSCT	May 17, 2016
EN 61000-3-2:2014	WSCT-R&E-1603630A	WSCT	May 17, 2016
EN 61000-3-3:2013	WSCT-R&E-1603630A	WSCT	May 17, 2016

Certified Product: Curling iron
Type Designation: F990A, F990B, F990C, F990D, F990E, F990F, F990G, F990H, F990I, F990J, F990K, F990L
Rated Input Voltage: 240-240 V ~, 50 Hz
Rated Input Current: N/A
Rated Input Wattage: 110 W
Rated Output: N/A
Protection Class: II
Max. Ambient Temperature: N/A
Other technical data: N/A
Continued on page: N/A Appendix: N/A

Remarks: This certification is only valid for product(s) in conjunction with the test report(s) above.
 This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s).
 Technical reports and documentations are at the licensee holder's disposal. The sample has been tested by us with
 listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/30/EU.

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.
 Building A, Baoan Science & Technology Park, Baoan
 Road, Tangbu, Shiyao, Bao'an District, Shenzhen, Guangdong, China. Wang Fengfeng
 TEL: 86-755-26995233 E-mail: market@wsct.org.cn Date of Issue: 28/04/2016 (day/month/year)
 FAX: 86-755-26996233 http://www.wsct-cert.com

CE The CE-marking may be used if all relevant and effective EC Directives are complied with.



Shenzhen SEM.Test Technology Co., Ltd.
 1/F, Building A, Hongwei Industrial Park, Luixian 2nd Road,
 Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

Report No.: STR16048003E
Applicant: Shenzhen Fashion Beauty Technology Co., Ltd.
Address: Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China
Manufacturer: DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD
Address: Workshop Building 6, Huafeng Road, Huaide Community, Humen Town, Dongguan, China

Description of Product: HAIR IRON
Model No.: See Model List
Trade Name: /
Test Standards: EN 55014-1:2006+A1:2009+A2:2011
 EN 61000-3-2:2014
 EN 61000-3-3:2013
 EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.

Test Laboratory



Jandyso
 Jandy So
 Supervisor
 Date of Issue: Apr 19, 2016


This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

Tel: +86-755-33663308 Fax: +86-755-33663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shenzhen Fashion Beauty Technology Co Ltd	Manufacturer: Dongguan Fashion Beauty Technology Co., Ltd
Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road And Ximhu Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA	Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
Country: China	Country: China
Contact: Mr. Jacky Deng	Contact: Mr. Zhonghua Deng
Phone: +86-755-29553301	Phone: +86-769-85162022
FAX: +86-755-27366587	FAX: +86-769-85161322
Email: fbbeauty@126.com	Email: fbbeauty@126.com
Party Authorized To Apply Mark: Same as Manufacturer	
Report Issuing Office: Intertek Testing Services Shenzhen Ltd, Guangzhou Branch.	

Control Number: 4003728 **Authorized by:**  Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client as set forth in the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advancement of the listed material, product or service must first be approved in writing by Intertek. Initial Factory Measurements and Follow-up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of these obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5867 Fax 312-283-1672

UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances
Standard(s): CSA E60335-14E Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2.23: Particular Requirements For Appliances For Skin or Hair Care
Product: Hair Straightener



This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.
Organization Code : 9144190059407804XU
 Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China
 Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.
 The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)
 SNQA's website : www.snqa.com.cn


 Managing Director

Certificate Number 28450


 UKAS
MANAGEMENT SYSTEMS
 015


 IAF

Date:	11 January 2013
Reissue Date:	11 January 2016
Valid Until:	14 September 2018
EAC Code:	18



The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 215 held by NQA. NQA is a trading name of NQA Certification Limited, Registration No 28201736. Registered Office: Warwick House, Houghton Hall Park, Houghton Regs, Dunstable, LU8 5EZ, UK. This certificate is the property of NQA and must be returned on request.

Certificate of Registration



MOULD MACHINE

Testi Kalite kontrolü için% 100 yapıyoruz:

Tests we do to make sure the quality		
Test	Testing time	Verified
Salt Spray Tester	100000 hours	✓
Grounding Resistance Tester	100000 hours	✓
Hi-Pot Tester	100000 hours	✓
Digital Power Meter	100000 hours	✓
Aging Test Machine	100000 hours	✓
Electric Safety Test Machine	100000 hours	✓

Biz Her yıl İtalya, Dubai, ABD, Rusya, COMPOPOF Beauty Show'a katılın. Hongkong. Herhangi bir sergiye gelerseniz, tanıdıkça Jacky, o kadar sorumlu ve güvenilir bir insandır. J



S & C:

1. S: Bir fabrika veya ticaret şirketi misiniz?

C: Biz Saç Düz Demir, Saç Demir, Saç Dairesi Dahil Saç Araçları için Orijinal Fabrika Kurucusu, sıcak hava fırçası 16 yıldır.

2. S: Kendi özelleştirilmiş ürünüm olabilir mi?

C: Evet, yapabilirsin Renk, logo, tasarım, paket, karton işareti vb için özelleştirin. Sipariş miktarı 1000 adet veya daha fazla. Bu tam olarak ne yaptığımız ve işimizin ne dir-dir .

3. S: Fiyatını nasıl ve ne zaman alabilirim İlgilendiğim ürün?

A: Size cevap vereceğiz ilk kez 24 saat içinde. Acil bir durumsa, sadece +86'yı arayın. 13823651633

4. S: Kontrol etmek için bir örnek alabilirsiniz Kalite ve her şey?

A: örnek ücreti olacak Alıcı tarafından ödenir, ancak bizimle bir sipariş verdikten sonra iade edilecektir. O Örneklerin hazır olması için genellikle 7-10days alır.

5. S: Kendi marka rengimi yapabilir miyim?

C: Evet. Söyleyebilirsin ABD Pantone No. veya bize renk örnek çipi gönder. Herhangi bir spay parlıtı yapabiliriz Renk veya su transfer rengi veya istediğiniz neredeyse herhangi bir rengi etkiler.

6. S: Peki ya seri üretim için teslim süresi?

A: alacak Depozito alındıktan sonra seri üretim için yaklaşık 45-60days ve tüm detaylar onaylanmış.

7. S: Fabrikanız nasıl yapılıır? İşte kalite kontrolü?

A: Kalite Öncelik! Her işçi kalite kontrol sürecini akılda tutuyor sonuna kadar başlamak:

- 1) tüm ham Kullandığımız malzemeler çevre dostu ve sertifika düzenlenmiştir.
- 2) yetenekli ve deneyimli işçiler üretimi ve ambalajı kullanırken her detayı bakım süreç.
- 3) Kalite Kontrol Her işlemdeki kalite kontrolünden departman sorumludur.

Ayrıca ilgili olmak :

FBT saç araçları orijinal fabrika ve Profesyonel salon için üretici saç düz ütüler dahil saç araçları Keratin tedavisi için saç kıvrırma maşası, saç maşası ütülü, sıcak hava fırçası, ve saç kurutma makineleri. Değerli müşterilerimiz arasında salon malzemeleri, güzellik malzemeleri, Saç aracı marka sahipleri ve ürünlerimizi severler.

Görünüm F8228B, güçlü, aynı saç düz demir ailesinden daha fazla model, güçlü, Güzel görünümlü, saç kayma üzerinde pürüzsüz --- MMS-8223

<https://www.hairstraightenersupplierature.com/products/high-temperature-480f-240c-high-480f-240c-highi-ssional-hair-flat-iron-fores>

