

تفاصيل المنتج:

قذيفة: الحقن أسود

لوحة: الماس طبق الطلاء، الكيراتين، زيت أركان، نابو-فضي

حجم اللوحة: 90 * 24 mm

نظام / سخان سيراميك MCH سخان: تسخين

في أو أعلى. درجة الحرارة: ماكس درجة الحرارة 240 °C (470)

عرض درجة الحرارة: 6 إشارة الاتصال الهاتفي عرض درجة الحرارة الرقمية

الجهد المزدوج، 110V-220V، 50 / 60HZ، السلطة: 110

أقدام) الأسلاك البلاستيكية (9 M الحبل: 360 درجة تشابك الحبل الدوران الحرة، 2-65

المكونات pse، سداة: الاتحاد الأوروبي التوصيل، الولايات المتحدة التوصيل، المملكة المتحدة التوصيل

شهادة: CE، rhos، cetlus، ccc، cb

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0pt0 :الخط CM 5.4PT 0CM 5.4pt14.35 :الخط pt ">

نموذج اسم:

مكواة الشعر. EHS-7422B.

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0ptالخط 0 :الخط CM 5.4PT 0CM 5.4PT14.35 :الخط pt ">

مادة:

سيراميك، حيوان اليف

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0ptالخط 0 :الخط CM 5.4PT 0CM 5.4PT ">

موك:

1-100,000. PCS.

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0ptالخط 0 :الخط CM 5.4PT 0CM 5.4PT14.35 :الخط pt ">

منتج بحجم:

طول 255 * عرض 28 ملليمتر

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0ptالخط 0 :الخط CM 5.4PT 0CM 5.4PT ">

مميزات:

احترافي استخدام صالون، لوحة النهاية الماسية

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0ptالخط 0 :الخط CM 5.4PT 0CM 5.4PT ">

شعار:

الشاشة الحرارية الطباعة على شل، ملصقا على كلا الجانبين

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0ptالخط 0 :الخط CM 5.4PT 0CM 5.4PT13.6 :الخط pt ">

الأسلاك ضع الكلمة المناسبة:

حسب الطلب

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0ptالخط 0 :الخط CM 5.4PT 0CM 5.4PT13.6 :الخط pt ">

اصطلاح ضع الكلمة المناسبة:

حسب الطلب

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0ptالخط 0 :الخط CM 5.4PT 0CM 5.4PT13.6 :الخط pt ">

طررد:

مغناطيسي علبة هدية، مربع واحد، مربع مزدوج، إلخ

<TD = "300" valign = "180.0 :الخط" = "خط"ptالخط :الخط WindowText 1.0ptالخط 0 :الخط CM 5.4PT 0CM 5.4pt15.85 :الخط pt ">

رئيسي الأسواق:

الغربي أوروبا، أمريكا الشمالية، آسيا، الشرق الأوسط

<TD = "300" valign = "180.0 : " = "pt : WindowText 1.0pt 0 : CM 5.4PT 0CM 5.4PT ">

عدد الموظفين:
اشخاص. 200-500

<TD = "300" valign = "180.0 : " = "pt : WindowText 1.0pt 0 : CM 5.4PT 0CM 5.4PT ">

سنوي دوران:
دولار أمريكي 200-50 مليون



في موجة الذرة لوحة + ألوان لوحة النعناع EHS-7422

لوحة يمكن أن تكون أيضا مصنوعة في لوحة المكشكش، لوحة طبيعية إذا دعت الحاجة.
لون طلاء الذهب، لون طلاء الماس الأصفر، اللون الأسود وما إلى ذلك وهلم جرا ألوان لوحة يمكن كن لون النعناع،



EHS-7422: بيع التسويق نقاط:

- 1، ارتفاع درجة الحرارة الحقيقية طلاء الماس الحديد المسطح خصيصا للشعر الخشن، الشعر الأفرو
- 2، لشعر الأخلاق؛ (Fدرجة حرارة عالية من 240 درجة مئوية 245 درجة مئوية (460-470،
- 3، مصممة بشكل طبيعي لتوفير العمالة والشعر قوي من الشعر؛
- 4، ألواح الماس الطلاء العائمة، سوبر ناعمة، قبضة كبيرة ولكن لا تسحب الشعر،
- 5، وأضاف زيت أركان، مع كمية 1/1000 في صيغة الطلاء، وجعل شعرك أكثر صحة
- 6، نظام التدفئة المتقدمة، تسخين سريع في 9 ثوان، تسخين سريع و استعادة؛
- 7، M: درجة سلك قطب، طول صالون 3 360،
- 7، إنشاء، ولكن مع سعر تصنيع أكثر بأسعار معقولة؛ GHD، نموذج مشابه إلى



1، استقامة الشعر،

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف.

بدأت من خلال تقسيم الشعر إلى فروع ليس أكثر من 1/2 بوصة سميكة و 2 بوصة واسعة،

تأخذ قسم واحد من الشعر في وقت واحد ضع الحديد على مقربة من الجذر قدر الإمكان والانزلاق إلى النهايات،
من غير توقف.

لا يسحبون بسرعة كبيرة، استقامة كل قسم مرة واحدة وسوف تعطي ببطء نتيجة أفضل بكثير من استقامة كل
قسم عدة مرات بسرعة.

كرر هذه العملية حتى جميع الأقسام منجز،



إنشاء تجعيد الشعر والتقلب

للحصول على التصميم الأمثل، يجب أن يكون الشعر نظيفا و جاف.

بدأ من خلال قسم الشعر إلى فروع ليس أكثر من 1/2 بوصة سميكة و 2 بوصة واسعة،

ضع الحديد على مقربة من الجذر كما ممكن وانزلق من خلال الشعر ببطء في حركة هبوطية في وقت واحد التواء،
وتحول الحديد.

لا تحرش بسرعة كبيرة، والشبكاء لكل منهما القسم مرة واحدة وبطء سيعطي نتيجة أفضل بكثير من الشباك كل،
قسم مرات متعددة بسرعة.

كرر هذه العملية حتى جميع الأقسام منجز.





لماذا نحن؟

- (2) 100% ضمان على المنتج لمدة 100 يومًا. المنتج مصنوع من مواد عالية الجودة.
- (4) المنتج مصنوع من مواد عالية الجودة.
- (6) المنتج مصنوع من مواد عالية الجودة.
- (8) المنتج مصنوع من مواد عالية الجودة.

CERTIFICATION
Of Compliance

WSCT

Certificate No. **W SCT16050000121ES** Page **0001**

Brand Name **ASTRA** Order No. **WSCT-R&E-2016202** Document revision **1.0** Latest expiration date **17/05/2021 (day/month/year)**

Applicant information
Shenzhen Fashion Beauty Technology Co., Ltd.
Room 2023 Unit A, Building one, Mei Li Times Garden,
Interchange of Xi Xiang Road and Xia Hu Road Xi
Xiang Street, Baoan District Shenzhen China 518102

Manufacturing information
Dongguan Fashion Beauty Technology Co., Ltd.
Workshop Building 6, Huaifeng Road, Huaide
Community, Humen Town, Dongguan, Guangdong,
523506, P.R.China

Test Mark

Standard(s)	Test Report(s)	Issued By	Date(s)
EN 60335-2-23: 2000 + A1: 2008 + A11: 2010 + A2: 2015	WSCT-BA16050021A	WSCT	May 17, 2016
EN 60335-1: 2012 + A11: 2014	WSCT-BA16050021A	WSCT	May 17, 2016
EN 62220: 2008	WSCT-BA16050021A	WSCT	May 17, 2016
EN55014-1: 2006+A1: 2009+A2: 2011	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN55014-2: 1997+A1: 2003+A2: 2008	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN 61000-3-2: 2014	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN 61000-3-3: 2013	WSCT-R&E-16052650A	WSCT	May 17, 2016

Certified Product: Curling iron
Type Designation: F998A, F998B, F998B+, F999C, F998D, F998E, F998F, F998G, F998H
Rated Input Voltage: 200-240 V ~, 50 Hz
Rated Input Current: N/A
Rated Input Wattage: 110 W
Rated Output: N/A
Protection Class: II
Max. Ambient Temperature: N/A
Other technical data: N/A
Continued on page: N/A **Appendix:** N/A

Remark: The certification is only valid for product(s) in conjunction with the test report(s) above.
This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s).
Technical reports and documentation are at the licensee holder's disposal. The sample has been tested by us with listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/53/EU.

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.
Building A, Baoan Science & Technology Park, Baoan
Road, Tangxia, Shiyuan, Bao'an District, Shenzhen, Guangdong, China
TEL: +86-755-26996192 E-mail: market@wsct.org.cn Date of issue: 28/04/2016 (day/month/year)
FAX: +86-755-26996253 http://www.wsct-cert.com

The CE marking may be used if all relevant and effective EC Directives are complied with.



Shenzhen SEM.Test Technology Co., Ltd.
1/F, Building A, Hongwei Industrial Park, Luoxian 2nd Road,
Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

Report No. : STR16048003E
Applicant : Shenzhen Fashion Beauty Technology Co., Ltd.
Address : Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China
Manufacturer : DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD
Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, China
Description of Product : HAIR IRON
Model No. : See Model List
Trade Name : /
Test Standards : EN 55014-1:2006+A1:2009+A2:2011
EN 61000-3-2:2014
EN 61000-3-3:2013
EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.



Test Laboratory

Jandy So

Jandy So
Supervisor

Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.
Tel: +86-755-31663308 Fax: +86-755-31663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listed model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shenzhen Fashion Beauty Technology Co Ltd	Manufacturer: Dongguan Fashion Beauty Technology Co., Ltd
Address: Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road And Xinhu Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA	Address: Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
Country: China	Country: China
Contact: Mr. Jacky Deng	Contact: Mr. Zhonghua Deng
Phone: +86-755-29553391	Phone: +86-769-85162022
FAX: +86-755-27366567	FAX: +86-769-85161322
Email: beauty@126.com	Email: beauty@126.com
Party Authorized To Apply Mark: Same as Manufacturer	
Report Issuing Office: Intertek Testing Services Shenzhen Ltd. Guangzhou Branch	

Control Number: 4003728 Authorized by: Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability for any party other than the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow-up Services are for the purpose of ensuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1872

Standard(s):	UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances CSA E60335-14E Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2-23: Particular Requirements For Appliances For Skin or Hair Care
Product:	Hair Straightener

This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.

Organization Code : 9144190059407804XU
Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China
Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.
The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)
SNQA's website : www.snqa.com.cn

Managing Director

Certificate Number **28450**

Date: 11 January 2013
Reissue Date: 11 January 2016
Valid Until: 14 September 2018
EAC Code: 18

The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 213 held by NQA.
NQA is a trading name of NQA Certification Limited, Registration No 20201786. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU5 5EJ, UK.
This certificate is the property of NQA and must be returned on request.

100% الاختبارات نحن نفعل لمراقبة الجودة

Tests we do to make sure the quality		
Test	Testing time	Verified
Salt Spray Tester	100000 hours	✓
Grounding Resistance Tester	100000 hours	✓
Hi-Pot Tester	100000 hours	✓
Digital Power Meter	100000 hours	✓
Aging Test Machine	100000 hours	✓
Electric Safety Test Machine	100000 hours	✓



MOULD MACHINE

سؤال وجواب:

موتورهای این دستگاهها معمولاً از نوع موتورهای الکتریکی هستند و توان آنها بسته به مدل دستگاه می‌تواند از 16 تا 1000 وات متغیر باشد.

این دستگاهها معمولاً برای تولید قطعات پلاستیکی با ابعاد کوچک تا متوسط استفاده می‌شوند. سرعت تولید آنها معمولاً بین 1000 تا 10000 قطعه در ساعت متغیر است.

این دستگاهها معمولاً دارای سیستم خنک‌کننده هستند و می‌توانند برای تولید قطعات با دقت بالا استفاده شوند. شماره تماس: 13823651633.

a: این دستگاهها معمولاً دارای سیستم خنک‌کننده هستند و می‌توانند برای تولید قطعات با دقت بالا استفاده شوند. شماره تماس: 10-7.

این دستگاهها معمولاً دارای سیستم خنک‌کننده هستند و می‌توانند برای تولید قطعات با دقت بالا استفاده شوند. شماره تماس: spay shinny.

60-45 این دستگاهها معمولاً دارای سیستم خنک‌کننده هستند و می‌توانند برای تولید قطعات با دقت بالا استفاده شوند. شماره تماس: days.

این دستگاهها معمولاً دارای سیستم خنک‌کننده هستند و می‌توانند برای تولید قطعات با دقت بالا استفاده شوند. شماره تماس: !.

2) این دستگاهها معمولاً دارای سیستم خنک‌کننده هستند و می‌توانند برای تولید قطعات با دقت بالا استفاده شوند.

: من الممكن لك ايضا كن مهتم في

هي الشركة المصنعة الحقيقية ل استخدام صالون احترافي لتنعيم الشعر، يتم تفضيل مكاوينا المسطحة من قبل صالون اللوازم، FBT،
لوازم الجمال، أدوات الشعر أداة
: طلاء الماس الحديد المسطح EHS-7422 عرض المزيد من النماذج من نفس الماس طلاء الأسرة، على غرار

<https://www.hairstraightenersupplier.com/products/super-high-high-Temperature-480F-240C-> خدمات مهنية

