

Produit Des détails:

Nom du modèle: F201

Shell: Injection Terminer ou autre finition de shell personnalisée

Plaque: diamant en céramique Plaque de revêtement, kératine, huile d'argan, nano-argent infusé ou personnalisé

Taille de la plaque: 17 * 70mm

Chauffage: Chauffage PTC système

Température: max Température 220°C 430f

Température Affichage: bouton de température ON / OFF

Puissance: 110W, 50/60Hz, 110v-220V, double tension

Cordon: Enchevêtrement à 360 ° Cordon pivotant gratuit, fil PVC 2M

Plug: Plug UE, US Plug, Plug UK, PSE

Certification: CE, Rhos, cetlus, ccc, cb



Nom du modèle: F201

Matériel: animal de compagnie

MOQ: 1000pcs

Puissance: 110W, 50/60Hz, 110v-220V, double tension

Cordon: Enchevêtrement à 360 ° Cordon pivotant gratuit, fil en PVC 2M ou personnalisé

Plug: Plug UE, US Plug, Plug UK, PSE

Certification: CE, Rhos, cetlus, ccc, cb

Shell: Injection finition ou finition peinte selon les besoins du client.

Chauffe-eau: Chauffage de haute qualité --- PTC

Température Paramètres: jusqu'à 220c / 430f

Puissance: 120V-240V, 50 / 60Hz, 115w91min) / 60W (stable)

Moteur: /

Double Tension 110V-240V

Cordon: 2m Cordon pivotant sans conchemin ou longueur et matériau personnalisés

Plug: US Plug, fiche UE, BS Plug, Plug UK

Certification: CE, RHOS, CETLUS, CCC, CB, etc.

Taille de la plaque : 17mm x 70mm

Poids : 350g

Pliable: Non



Logo: Personnalisé

Étiquette de fil: Personnalisé

Étiquette technique: Personnalisé

Paquet: Personnalisé

Principaux marchés: Western Europe, Amérique du Nord, Asie, Moyen-Orient

Nombre d'usine Employés: 80-150



Commercialisation Points de vente de F201:


- √ Super mini-céramique en fer des cheveux Pour le redressement et le style facile pour les cheveux courts, les cheveux des hommes, la frange de cheveux et frange de cheveux.
- √ Meilleur choix pour voyager, utilisation portable et domestique;

- ✓ Championnat du salon d'Allemagne Star Show,
- ✓ A remporté les outils de salon Championnat en Allemagne en 2016
- ✓ Corée céramique super lisse revêtement ou plaque de titane pour votre sélection.
- ✓ Nano Silver de haute qualité Les plaques chauffantes de titane miroir infusées peuvent laisser vos cheveux avec brillant et soyeux effet.
- ✓ Fonction d'arrêt automatique --- 60 minutes.
- ✓ Température 220c 430f
- ✓ Chauffage rapide UP: 30 stipule jusqu'à 200c / 390f
- ✓ Sécurité conception de verrouillage
- ✓ Agréable conception du corps
- ✓ Refroidissement Conception de la poignée de la pointe et du refroidissement
- ✓ 360 Cordon d'alimentation pivotant rotatif --- 2m ou 3m-enchevêtrement.
- ✓ Pouvoir: 60w
- ✓ OEM Le service ODM est disponible
- ✓ Soi Équipe de conception PCB possédée, équipe de développement de moules et lignes d'assemblage.
- ✓ Service de conception d'emballage
- ✓ Logo service de conception
- ✓ Moulder Service de développement et de conception
- ✓ 100% service de personnalisation pour aider à construire votre marque.















Emballage & Livraison:

Détails de l' emballage:

- * emballage de boîte-cadeau
- * Taille de GB: 10.5x30x5.4cm
- * 24pcs / CTN
- * Taille du carton: 44x31.5x34.5cm
- * G.W: 16.2kgs
- * N.W: 9.6kgs
- * 1x20gp = 14500pcs
- * 1x40gp = 29000PCS

Livraison Détail:



Comment utiliser:

1, Cheveux redressant

Pour un style optimal, les cheveux doivent être propres et sec.

1. Départ avec sectionner les cheveux dans des brins de pas plus de 1/2 pouces d'épaisseur et 2 pouces de large.

2. Prends-en un section des cheveux à la fois et place le fer aussi près que possible de la racine que possible et glisser vers les extrémités sans arrêter.
3. Ne pas tirez trop rapidement, redresser chaque section une fois et lentement donnera lentement Un résultat bien meilleur que de redresser chaque section plusieurs fois rapidement.
- 4 Répéter Ce processus jusqu'à la fin de toutes les sections.

Création de boucles et de flips

Pour un style optimal, les cheveux doivent être propres et sec.

1. Départ avec sectionner les cheveux dans des brins de pas plus de 1/2 pouces d'épaisseur et 2 pouces de large.
2. Placer le ion aussi près que possible de la racine et glisse lentement dans les cheveux dans un mouvement descendant simultanément tordant et transformer le fer.
3. Ne pas curl trop vite, couvrant chaque section une fois et donnera lentement beaucoup mieux Résultat que curling chaque section plusieurs fois rapidement.
- 4 Répéter Ce processus jusqu'à la fin de toutes les sections.

Pourquoi nous?

- (1) En tant que fabricant d'outils de cheveux, nous avons des professionnels et l'équipe de R & D expérimentée, des installations complètes de la conception à la moulure à Lignes d'assemblage - y compris la conception Outlook, l'arrangement de la PCB, l'outillage et l'emballage Conception Outlook.
- (2) Système de contrôle de qualité fiable et strict. 100% des tests seront effectués pour tous nos produits avant l'expédition pour vous assurer que chaque unité en parfait état.
- (3) Prix compétitif. Nous sommes spécialisés dans cette ligne comme un fabricant d'outils de cheveux pendant 16 ans et nous sommes confiants de fournir vous le meilleur produit de qualité avec un prix raisonnable. Professionnel seulement pour les cheveux outils .
- (4) Nous vous fournissons efficacement et complet pré-service et après-service.
- (5) Les OEM et ODM sont acceptables.
- (6) Vous pouvez nous donner votre idée de produit et Dites-nous facilement ce que vous voulez, et nous allons vous réaliser.
- (7) Acheter directement à partir de l'usine vous donne plus prix raisonnable et meilleur service et un esprit pacifique après l'achat.
- (8) Communication et soutien efficaces de Notre consultant en vente professionnel.

CERTIFICATION
Of Compliance

WSCT

Certificate No. **W SCT16050000121ES** Page **0001**

Brand Name **ASTRA** Order No. **WSCT-R&E-2016202** Document revision **1.0** Latest expiration date **17/05/2021 (day/month/year)**

Applicant information
Shenzhen Fashion Beauty Technology Co., Ltd.
Room 2023 Unit A, Building one, Mei Li Times Garden,
Interchange of Xi Xiang Road and Xia Hu Road Xi
Xiang Street, Baoan District Shenzhen China 518102

Manufacturing information
Dongguan Fashion Beauty Technology Co., Ltd.
Workshop Building 6, Huaifeng Road, Huaide
Community, Humen Town, Dongguan, Guangdong,
523506, P.R.China

Test Mark

Standard(s)	Test Report(s)	Issued By	Date(s)
EN 60335-2-23: 2000 + A1: 2008 + A11: 2010 + A2: 2015	WSCT-BA16050021A	WSCT	May 17, 2016
EN 60335-1: 2012 + A11: 2014	WSCT-BA16050021A	WSCT	May 17, 2016
EN 62220: 2008	WSCT-BA16050021A	WSCT	May 17, 2016
EN55014-1: 2006+A1: 2009+A2: 2011	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN55014-2: 1997+A1: 2003+A2: 2008	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN 61000-3-2: 2014	WSCT-R&E-16052650A	WSCT	May 17, 2016
EN 61000-3-3: 2013	WSCT-R&E-16052650A	WSCT	May 17, 2016

Certified Product: Curling iron
Type Designation: F998A, F998B, F998B+, F999C, F998D, F998E, F998F, F998G, F998H
Rated Input Voltage: 200-240 V ~, 50 Hz
Rated Input Current: N/A
Rated Input Wattage: 110 W
Rated Output: N/A
Protection Class: II
Max. Ambient Temperature: N/A
Other technical data: N/A
Continued on page: N/A **Appendix:** N/A

Remark: The certification is only valid for product(s) in conjunction with the test report(s) above.
This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s).
Technical reports and documentation are at the licensee holder's disposal. The sample has been tested by us with listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/53/EU.

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.
Building A, Baoan Science & Technology Park, Baoan
Road, Tangxia, Shiyuan, Bao'an District, Shenzhen, Guangdong, China
TEL: 86-755-26996192 E-mail: market@wsct.org.cn Date of issue: 28/04/2016 (day/month/year)
FAX: 86-755-26996253 http://www.wsct-cert.com

The CE marking may be used if all relevant and effective EC Directives are complied with.



Shenzhen SEM.Test Technology Co., Ltd.
1/F, Building A, Hongwei Industrial Park, Luoxian 2nd Road,
Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

Report No. : STR16048003E
Applicant : Shenzhen Fashion Beauty Technology Co., Ltd.
Address : Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China
Manufacturer : DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD
Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, China
Description of Product : HAIR IRON
Model No. : See Model List
Trade Name : /
Test Standards : EN 55014-1:2006+A1:2009+A2:2011
EN 61000-3-2:2014
EN 61000-3-3:2013
EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.



Test Laboratory

Jandy So

Jandy So
Supervisor


Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.
Tel: +86-755-33663308 Fax: +86-755-33663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listed model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shenzhen Fashion Beauty Technology Co Ltd	Manufacturer: Dongguan Fashion Beauty Technology Co., Ltd
Address: Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xiang Road And Xinhu Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA	Address: Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
Country: China	Country: China
Contact: Mr. Jacky Deng	Contact: Mr. Zhonghua Deng
Phone: +86-755-29553391	Phone: +86-769-85162022
FAX: +86-755-27366587	FAX: +86-769-85161322
Email: fbeauty@126.com	Email: fbeauty@126.com
Party Authorized To Apply Mark: Same as Manufacturer	
Report Issuing Office: Intertek Testing Services Shenzhen Ltd. Guangzhou Branch	

Control Number: 4003728 Authorized by: 
Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification Agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability for any party other than the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any other use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow-up Services are for the purpose of ensuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1872

Standard(s):	UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances CSA E60335-114E Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2-23: Particular Requirements For Appliances For Skin or Hair Care
Product:	Hair Straightener



Certificate of Registration

This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.

Organization Code : 9144190059407804XU
Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China
Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.
The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)
SNQA's website : www.snqa.com.cn


Managing Director

Certificate Number **28450**

Date: 11 January 2013
Reissue Date: 11 January 2016
Valid Until: 14 September 2018
EAC Code: 18






The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 213 held by NQA.
NQA is a trading name of NQA Certification Limited, Registration No 20201786. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU8 5EZ, UK.
This certificate is the property of NQA and must be returned on request.



MOULD MACHINE



Reception



ASSEMBLY LINE 1



Meeting and show room



MOULDS3

Des tests que nous faisons pour Contrôle de la qualité 100%:

Tests we do to make sure the quality		
Test	Testing time	Verified
Salt Spray Tester	100000 hours	✓
Grounding Resistance Tester	100000 hours	✓
Hi-Pot Tester	100000 hours	✓
Digital Power Meter	100000 hours	✓
Aging Test Machine	100000 hours	✓
Electric Safety Test Machine	100000 hours	✓

Nous Assistez à l'émission de beauté Cosmoprof chaque année en Italie, Dubaï, États-Unis, Russie, Hong Kong. Si vous venez à l'une des expositions, vous serez familier avec Jacky, et il est une personne si responsable et fiable.]



Q & A:

1. Q: Êtes-vous une usine ou une entreprise de négoce?

A: Nous sommes le usine originale pour outils de cheveux, y compris le fer plat, le fer à friser, les cheveux Sèche-linge, pinceau à air chaud pendant 16 ans.

2. Q: Puis-je avoir mon propre produit personnalisé?

A: Oui, vous pouvez personnaliser la couleur, le logo, la conception, le paquet, la marque de carton, etc. tant que votre La quantité de commande est de 1000 pcs ou plus. C'est exactement ce que nous faisons et quel est notre travail est .

3. Q: Comment et quand puis-je obtenir le prix pour le produit que je suis intéressé par?

A: Nous vous répondrons dans la première fois dans les 24 heures. Si c'est une urgence, appelez simplement +86 13823651633

4 Q: Comment peut-il obtenir un échantillon pour vérifier la Qualité et tout?

A: Les frais d'échantillons seront Être payé par l'acheteur, mais il sera remboursé après avoir placé une commande avec nous. Il prend habituellement 7-10days pour que les échantillons soient prêts.

5 Q: Puis-je faire ma propre marque de marque?

A: Oui. Tu peux dire nous le n ° de pantone ou envoyez une puce d'échantillons de couleur américaine. Nous pouvons faire n'importe quel Spay Shinny Couleur d'effet ou couleur de transfert d'eau ou presque toutes les couleurs que vous voulez.

6 Q: Qu'en est-il du délai de la production de masse?

A: ça va prendre environ 45-60 jours pour la production de masse après le dépôt reçu et tous les détails confirmé.

7. Q: Comment va votre usine concernant Contrôle de la qualité dans le travail?

A: La qualité est priorité! Chaque travailleur conserve le processus de contrôle de la qualité à l'esprit de la même Commençant à la fin:

1) tout le brut Les matériaux que nous utilisons sont respectueux de l'environnement et des certificats réglementés.

2) qualifié et Les travailleurs expérimentés se soucient de tous les détails lors de la manipulation de la production et de l'emballage traiter.

3) Contrôle de la qualité Le département est responsable de la vérification de la qualité dans chaque processus.


Vous pouvez également être intéressé par:

Les outils de cheveux FBT sont l'usine d'origine et Fabricant pour salon professionnel Utilisez des outils de cheveux, y compris des fers à plat cheveux Pour le traitement de la kératine, des pinces de curling, des fers à cheveux, une brosse à air chaud, et sèche-cheveux. Nos fers plats sont aimés par des fournitures de salon, des fournitures de beauté, titulaires de marques d'outils de cheveux.

Voir plus de modèles à partir du même sèche-cheveux Famille, semblable à F201, puissante, belle, lisse sur les cheveux glissant-f201s

<https://www.harestraightenersupplier.com/products/ FBT -Mini-Fer à repasser-fer-fer-hair-short-héritier-f201s.html # .ylmar-gzpy>

Mini flat iron
Plate size: 80*17mm



fixed cord. 2.0m

Max temperature 210C

S plate, fixed plate