
# 

	1 000 000 00000 EMS-7118
	000000 00000 00 00000 00 000 0000000 0000
Temp.	
00000 00 0000:	280 000 * 26 000
	110 0000 * 24 0000
Overheating DDDDDD:	2pcs [[[[[]]]] overheating [[[[]]]]
	0000 000000 000000 0000 sticer
	CE 0000 0000 0000000 000000
MOQ:	1-100, 000pcs
	(000000) 00 000000 000 0000 00 000 15 000

# EMS-7118 [] [] [][]:



#### ANDA ANA NA NANA NANA NANA NANANA NANAN NANA NANA NANAN NANAN NANAN NANAN NANAN NANAN NANAN NANAN NANAN NANAN









#### ANDER DE CONTRE DE C



- \* 0000 000000 0000000 00 00000 00 000 overheating 00 0000
- \* 0000000 000 000 00 000 000
- \* 0000 230C 00000 000 00 000 000000







### 

	* 00000 00000 00000 * GB 00 00000: 37 * 10 * 5.30000 * 20pcs/CTN * 000000 00 00000: 56.5 * 38.5 * 24 0000 * 00000000: 15.0KGS * 000000000: 9.00000000000000000000000000
	00000, 00 00000000000 0000000 000000: UPS, DHL, FEDEX, 00000, EMS 000

# 

00000 00000 000000 0000 00 0000 00 000



# 000 000 00**ir** 00000 0000 00 000 00 00 0000 00:

