

- Shell: injection finishing or rose golden painted finishing or customized finishing or color
- Plate: nano silver ceramic tourmaline plates or customized titanium plates
- Plate Size: 28*105mm/ 1 inch
- Heater: PTC heater/ MCH salon use heaters
- Temperature: Adjustable temperature 130-240°C(270F-480F)
- Temperature display: 6 lights adjustable temperature display
- Power: 120V-240V, 50/60HZ,115W91MIN) / 60W(steady)
- Cord: rotating cord, 9 feet PVC cord/ 2.65m PVC cord or rubber cord
- Plug: EU plug, US plug, BS plug, PSE plug
- Certification: CE, Rhos, cETLus, CCC, CB,SAA



Model name: MMS-8223

Material: PET

MOQ: 1000PCS

Power: 110W, 50/60HZ,110V-220V, dual voltage

Cord: 360° tangle free swivel cord, 2.65-3M(9 feet) PVC wire or customized

Plug: EU plug, US plug, UK plug, PSE plug

Certification: CE, Rhos, cETLus, CCC, CB

Shell: Injection finishing or painted finishing according to customer requirements.

Heater: high quality heater ---PTC or MCH heaters.

Temperature settings: up to 240C/ 480F

Power: 120V-240V, 50/60HZ,115W91MIN) / 60W(steady)

Motor: /

Dual voltage 110V-240V

Cord: 2.65m tangle free swivel cord or customized length and material

Plug: US plug, EU plug, BS plug, UK plug

Certification: CE, Rhos, cETLus, CCC, CB ets

Plate size : 28mm x 105mm
Weight : 380g
Foldable: No



Logo: Customized
Wire label: Customized
Technical Label: Customized
Package: Customized
Main markets: Western Europe, North America, Asia, Middle East
Number of factory employees:80-150



Marketing selling points of MMS-8223:

- ✓ Model No.: MMS-8223
- ✓ Professional hair flat iron for salon stylist usage---straightening and styling.
- ✓ Plate size:105*28mm=1.1inch
- ✓ 3D floating heating plates make sure it can glide through hair smoothly.
- ✓ PTC heaters/ MCH heaters
- ✓ Plate make: flat, crimper, C shaped, U shaped, any shape you want.
- ✓ Plate material: nano silver made in Korea ceramic/ nano silver durable titanium/ innovative fabric/ infrared light plate material
- ✓ Temperature range: Up to 240C/470F---160, 180, 200, 220, 240 °C
- ✓ Fast heating up: 30S heats up to 200C/390F
- ✓ Safety lock design
- ✓ LCD/digital display design
- ✓ Cooling tip and cooling handle design
- ✓ 360 rotating swivel power cord---2.65m or 3m---tangle free.
- ✓ Power: 60W
- ✓ Automatic shutdown - 1 hour
- ✓ OEM ODM service are available
- ✓ Self owned PCB design team, mold development team, and assembly lines.
- ✓ Packaging design service
- ✓ Logo design service

- √ Mold development and design service
- √ 100% customization service to help to build your brand.



Packaging & Delivery:

Packaging Details:

Delivery Detail:

- *gift box packing
- *size of GB: 10.5x30x5.4cm
- *24pcs/ctn
- *size of carton:44X31.5X34.5cm
- *G.W:16.2kgs
- *N.W: 9.6kgs
- *1X20GP=14500pcs
- *1X40GP=29000pcs
- 30 days after deposit

How to use:

1, STRAIGHTENING HAIR

For optimum styling, hair should be clean and dry.

1. Starting with sectioning the hair into strands of not more than 1/2-inch thick and 2 inches wide.
2. Take one section of hair at a time and place iron as close to the root as possible and slide through to the ends without stopping.
3. Do not pull through too quickly, straightening each section once and slowly will give a far better result than straightening each section multiple times quickly.
4. Repeat this process until all sections are completed.



CREATING CURLS AND FLIPS

For optimum styling, hair should be clean and dry.

1. Starting with sectioning the hair into strands of not more than 1/2-inch thick and 2 inches wide.
2. Place the iron as close to the root as possible and slide through the hair slowly in a downward motion simultaneously twisting and turning the iron.
3. Do not curl too quickly, curling each section once and slowly will give a far better result than curling each section multiple times quickly.
4. Repeat this process until all sections are completed.



Why choose us?

- (1) As a hair tools manufacturer, we have professional and experienced R&D team, full facilities from design to molding to assembly lines—including outlook design, PCB arrangement, tooling and packaging outlook design.
- (2) Reliable and strict quality control system. 100% testings will be done for all of our products before shipment to make sure every unit in perfect condition.
- (3) Competitive price. We specialize in this line as a hair tools manufacturer for 16 years, and we are confident to provide you the best quality product with reasonable price. Professional only for hair tools .
- (4) We provide you with efficient and comprehensive pre-service and after-service.
- (5) Both OEM and ODM are acceptable.
- (6) You can give us your product idea and easily tell us what you want, and we will make it come true.
- (7) Buying directly from factory give you more reasonable price and better service and a peaceful mind after purchasing.
- (8) Efficient communication and support from our professional sales consultant.



INJECTION MACHINES



MOULD MACHINE



MOULD SHOP



MOULDS2



AC power source 1



Electrical parameter tester



Electrical parameter tester



Life test machine



Power cord flexing test system



Salted steam testing machine



Voltage withstand tester



LOGO printing machine 2



AC power source 2



Shenzhen SEM.Test Technology Co., Ltd.
1/F, Building A, Hongwei Industrial Park, Lixian 2nd Road,
Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

Report No.: STR16048003E
Applicant: Shenzhen Fashion Beauty Technology Co., Ltd.
Address: Room 2623, Unit A, Building One, Mei Li Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China
Manufacturer: DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD
Address: Workshop Building 6, Huaifeng Road, Huaihe Community, Humen Town, Dongguan, China

Description of Product: HAIR IRON
Model No.: See Model List
Trade Name: /

Test Standards: EN 55014-1:2006+A1:2009+A2:2011
 EN 61000-3-2:2014
 EN 61000-3-3:2013
 EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.



Test Laboratory

Jandy So
 Jandy So
 Supervisor
 Date of Issue: Apr 19, 2016


This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

Tel: +86-755-33663308 Fax: +86-755-33663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listed model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized to Apply Mark.

| | |
|--|--|
| Applicant: Shenzhen Fashion Beauty Technology Co Ltd Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road And Ximhu Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA | Manufacturer: Dongguan Fashion Beauty Technology Co., Ltd Workshop Building 6, Huaifeng Road, Huaide Community, Hunten Town, Dongguan, Guangdong, 523900 China |
| Country: China Contact: Mr. Jacky Deng Phone: +86-755-29555391 FAX: +86-755-27365587 Email: fbeauty@126.com | Country: China Contact: Mr. Zhonghua Deng Phone: +86-769-85162022 FAX: +86-769-85161322 Email: fbeauty@126.com |
| Party Authorized to Apply Mark: Same as Manufacturer Report Issuing Office: Intertek Testing Services Shenzhen Ltd, Guangzhou Branch. | |

Control Number: 4003728 **Authorized by:**  Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage (incurred) by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Measurements and Follow-up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purpose of production quality control and do not relieve the Client of these obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

| |
|--|
| UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances |
| CSA E60335-14E Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements |
| CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2.23: Particular Requirements For Appliances For Skin or Hair Care |
| Product: Hair Straightener |



This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.

Organization Code : 9144190059407804XLU
Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Hunten Town, Dongguan City, Guangdong Province, China
Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Hunten Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.
The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)
SNQA's website : www.snqa.com.cn


 Managing Director

Certificate Number 28450
Date: 11 January 2013
Revising Date: 11 January 2016
Valid Until: 14 September 2018
EAC Code: 18





The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 275 held by NQA. NQA is a trading name of NQA Certification Limited, Registration No 20201156. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU8 5EJ, UK. This certificate is the property of NQA and must be returned on request.

Testings we do for quality control 100%:

| Tests we do to make sure the quality | | |
|--------------------------------------|--------------|----------|
| Test | Testing time | Verified |
| Salt Spray Tester | 100000 hours | ✓ |
| Grounding Resistance Tester | 100000 hours | ✓ |
| Hi-Pot Tester | 100000 hours | ✓ |
| Digital Power Meter | 100000 hours | ✓ |
| Aging Test Machine | 100000 hours | ✓ |
| Electric Safety Test Machine | 100000 hours | ✓ |

We attend the Cosmoprof Beauty Show each year in Italy, Dubai, USA, Russia, Hongkong. If you come to any of the exhibitions, you will be familiar with Jacky, and he is such a responsible and reliable person.]



Q&A:

1. Q: Are you a factory or trading company?

A: We are the original factory for hair tools including hair flat iron, curling iron, hair dryer, hot air brush for 16 years.

2. Q: Can I have my own customized product?

A: Yes, you can customize for color, logo, design, package, carton mark, etc. as long as your order quantity is 1000pcs or more. That is exactly what we do and what our job is .

3. Q: How and when can I get the price for the product I am interested in?

A: We will reply you in the first time within 24 hours. If it is an emergency, just call +86 13823651633

4. Q: How can I get a sample to check the quality and everything?

A: Sample fee will be paid by the buyer, but it will be refunded after placing an order with us. It usually takes 7-10days to have the samples ready.

5. Q: Can I make my own brand color?

A: YES. You can tell us the pantone No. or send us color sample chip. We can do any spay shinny effect color or water transfer color or almost any color you want.

6. Q: what about the lead time for mass production?

A: It will take about 45-60days for mass production after deposit received and all the details confirmed.

7. Q: How does your factory do regarding quality control in work?

A: Quality is priority! Every worker keeps the quality control process in mind from the very beginning to the very end:

1) All the raw materials we are using are environmental-friendly and certificate regulated.

2) Skilled and experienced workers care every detail when handling the producing and packing process.

3) Quality Control Department is responsible for quality checking in each process.

You may also be interested in :

FBT hair tools is the original factory and manufacturer for professional salon use hair tools including hair flat irons for keratin treatment, hair curling tongs, hair curling irons, hot air brush, and hair dryers. Our valued customers include salon supplies, beauty supplies, hair tool brand holders and they love our products.

View more models from the same hair flat iron family, similar to MMS-8223, powerful, nice looking, smooth on hair gliding---EHS-7422

<https://www.hairstraightenersupplier.com/products/Professional-styling-high-quality-nano-titanium-hair-flat-iron-EHS-7422.html#.YJ42F-gzZPY>

