

□□ □□ □□:

□□ □□:	□□□□ □□□ □□ □□ □□ F601HF
□□ □□:	□□□□ □□□ □□ □ □ □□
MOQ:	1-100, 000pcs
□□ □□:	60 □ □□ □□ □□ □ □□□ □□
□ □□:	□□ □□
□□:	□□ □□ □□
□□ □□□:	□□□□ □□
□□□□:	□□ □□
□□ □□:	□□, □□, □□, □ □ □□,
□□ □□:	T/T, I/C, □□□□, □□□□ □□□□
□□ □□:	8500 □□ □□
□□:	2 □ □□ PTC

F601HF □□□□:

□□□□ □□ □□ □□ □□□□□□ □□ □□ □□, □□ □□ □□ □□, □□ □ □□ □□, □□□□ □□□□ □□ □□ □ □□□.
 □ □□ □, □□□□ □□□□ □ □ □□ □□□□ □□ □□□□. □□□□ □□ □□□ □□, □□□□ □□, □□ □□, □□ □□, □□ □□, □□□□ □□□□ □□.

Infrared hair flat iron F601HF



□□□□ □ □ □ □ □ □ □ □ □ □:

□□□□ □□□ □□ □□ □□□□ □ □ corlor□ □□.
 □□□□ □□: □□□□ □□□□ □□ □□□□.
 Shell □□: □□□□ □□, □□ □ □□□ □□ □□□□ □ □ □□ □□ corlo □□□□ □□ □□□□ □□ □□.

Infrared hair flat iron with rubberized color F601HF



F601HF Giftbox:

giftbox, 1, 000pcs



F601HF Specifications:

- * 130 C to 230 C, any angle
- * 5
- * PTC
- * 60

