

Model No.: FD160

Material: PET

MOQ: 500PCS

Power: 110W, 50/60HZ, 110V-220V, dual voltage

Cord: 360° tangle free swivel cord, 2.65-3M(9 feet) PVC wire

Plug: EU plug, US plug, UK plug, PSE plug

Certification: CE, Rhos, cETLus, CCC, CB



Shell: Injection finishing

Heater: high quality heater

Settings: High, low, cool, off.

Power: 1200W

Motor: DC

Dual voltage 110V-240V

Cord: 2.65m tangle free swivel cord

Plug: US plug, EU plug, BS plug, UK plug

Certification: CE, Rhos, cETLus, CCC, CB ets

Size : 145mm x 190mm x 70mm

Weight : 340g

Foldable: YES



Logo: Customized

Wire label: Customized

Technical Label: Customized

Package: Customized

Main markets: Western Europe, North America, Asia, Middle East

Number of factory employees:80-150



- **Korea designed and new developed**
  - **Home convenient use**
  - **Travel easy portable use**
  - **Salon professional use**
  - **Light and easy carry weight**
  - **Well made body**
  - **Nice looking outlook**
- Reliable after-selling service makes sure you worry-free after purchasing.**



**Marketing selling points of FD160 home/salon use hair dryer:**

1. Designed by Korea red dot winner designer.
  2. Light weight for convenient carry.
  3. Powerful up to 1200W wattage can give you a quick dry up on hair after washing.
  4. Ergonomics design for comfortable holding and usage.
  5. Customized any colors and any packages are acceptable.
  6. Buying directly from factory ensures you better after selling service.
  7. Foldable to a smaller cube to give you easier portable convenience.
- High-Cool-Low-Heat settings give multiple choices on the functions.



### **Packaging & Delivery:**

Packaging Details:

Delivery Detail:

- \*gift box packing
- \*size of GB: 10.5x30x5.4cm
- \*24pcs/ctn
- \*size of carton:44X31.5X34.5cm
- \*G.W:16.2kgs
- \*N.W: 9.6kgs
- \*1X20GP=14500pcs
- \*1X40GP=29000pcs
- 30-60 days after deposit

### **Why choose us?**

- (1) Professional and experienced R&D team, full facilities from design to molding to assembly lines—including outlook design, PCB arrangement, tooling and packaging outlook design.
- (2) Reliable and strict quality control system. 100% test of all of our products before shipment to make sure every unit in perfect condition.

- (3) Competitive price. We specialize in this line as a hair tools manufacturer for 16 years, and we are confident to provide you the best quality product with reasonable price.
- (4) We provide you with comprehensive pre-service and after-service.
- (5) Both OEM and ODM are acceptable.
- (6) You can give us your product idea, and we will make it come true.
- (7) Buying directly from factory give you cheaper price and better service.
- (8) Efficient communication and support from our professional sales consultant.



INJECTION MACHINES



MOULD MACHINE



MOULD SHOP



MOULDS2



AC power source 1



Electrical parameter tester



Electrical parameter tester




Life test machine



Power cord flexing test system



Salted steam testing machine



Voltage withstand tester



LOGO printing machine 2



AC power source 2





Reception



ASSEMBLY LINE1



Meeting and show room



MOULDS3





**Testings we do for quality control:**

**CERTIFICATION**  
Of Compliance

**WSCT**

Certificate No. WSCT16050000121ES	Page 0001
Brand Name ASTRA	Order No. WSCT-R&E-201602
Document revision 1.0	Latest expiration date 17/05/2021 (day/mo/yr)

<b>Applicant information</b> Shenzhen Fashion Beauty Technology Co., Ltd. Room 2623 Unit A, Building One, Mei Li Times Garden, Interchange of Xi Xiang Road and Xin Shu Road 20 Xiang Street, Bao'an District Shenzhen China 518102	<b>Manufacturing information</b> Dongguan Fashion Beauty Technology Co., Ltd. Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900, P.R.China
---	--

Test Mark	Standard(s)	Test Report(s)	Issued By	Date(s)
	EN 60335-2-21: 2000 + A1: 2008 + A11: 2013 + A2: 2015	WSCT-BA160500021A	WSCT	May 17, 2016
	EN 60335-1: 2012 + A1: 2014	WSCT-BA160500021A	WSCT	May 17, 2016
	EN 62233: 2008	WSCT-BA160500021A	WSCT	May 17, 2016
	EN 50618-1-2: 2006+A2: 2009+A2: 2011	WSCT-R&E-160500021A	WSCT	May 17, 2016
	EN 50618-2: 2007+A1: 2009+A2: 2008	WSCT-R&E-160500021A	WSCT	May 17, 2016
EN 63000-2: 2014	WSCT-R&E-160500021A	WSCT	May 17, 2016	
EN 63000-3: 2013	WSCT-R&E-160500021A	WSCT	May 17, 2016	

**Certified Product:** Curling iron  
**Type Designation:** P998A, P998B, P998D, P998E, P998F, P998G, P998H, P998I, P998J, P998K, P998L, P998M, P998N, P998O, P998P, P998Q, P998R, P998S, P998T, P998U, P998V, P998W, P998X, P998Y, P998Z, P998AA, P998AB, P998AC, P998AD, P998AE, P998AF, P998AG, P998AH, P998AI, P998AJ, P998AK, P998AL, P998AM, P998AN, P998AO, P998AP, P998AQ, P998AR, P998AS, P998AT, P998AU, P998AV, P998AW, P998AX, P998AY, P998AZ, P998BA, P998BB, P998BC, P998BD, P998BE, P998BF, P998BG, P998BH, P998BI, P998BJ, P998BK, P998BL, P998BM, P998BN, P998BO, P998BP, P998BQ, P998BR, P998BS, P998BT, P998BU, P998BV, P998BW, P998BX, P998BY, P998BZ, P998CA, P998CB, P998CC, P998CD, P998CE, P998CF, P998CG, P998CH, P998CI, P998CJ, P998CK, P998CL, P998CM, P998CN, P998CO, P998CP, P998CQ, P998CR, P998CS, P998CT, P998CU, P998CV, P998CW, P998CX, P998CY, P998CZ, P998DA, P998DB, P998DC, P998DD, P998DE, P998DF, P998DG, P998DH, P998DI, P998DJ, P998DK, P998DL, P998DM, P998DN, P998DO, P998DP, P998DQ, P998DR, P998DS, P998DT, P998DU, P998DV, P998DW, P998DX, P998DY, P998DZ, P998EA, P998EB, P998EC, P998ED, P998EE, P998EF, P998EG, P998EH, P998EI, P998EJ, P998EK, P998EL, P998EM, P998EN, P998EO, P998EP, P998EQ, P998ER, P998ES, P998ET, P998EU, P998EV, P998EW, P998EX, P998EY, P998EZ, P998FA, P998FB, P998FC, P998FD, P998FE, P998FF, P998FG, P998FH, P998FI, P998FJ, P998FK, P998FL, P998FM, P998FN, P998FO, P998FP, P998FQ, P998FR, P998FS, P998FT, P998FU, P998FV, P998FW, P998FX, P998FY, P998FZ, P998GA, P998GB, P998GC, P998GD, P998GE, P998GF, P998GG, P998GH, P998GI, P998GJ, P998GK, P998GL, P998GM, P998GN, P998GO, P998GP, P998GQ, P998GR, P998GS, P998GT, P998GU, P998GV, P998GW, P998GX, P998GY, P998GZ, P998HA, P998HB, P998HC, P998HD, P998HE, P998HF, P998HG, P998HH, P998HI, P998HJ, P998HK, P998HL, P998HM, P998HN, P998HO, P998HP, P998HQ, P998HR, P998HS, P998HT, P998HU, P998HV, P998HW, P998HX, P998HY, P998HZ, P998IA, P998IB, P998IC, P998ID, P998IE, P998IF, P998IG, P998IH, P998II, P998IJ, P998IK, P998IL, P998IM, P998IN, P998IO, P998IP, P998IQ, P998IR, P998IS, P998IT, P998IU, P998IV, P998IW, P998IX, P998IY, P998IZ, P998JA, P998JB, P998JC, P998JD, P998JE, P998JF, P998JG, P998JH, P998JI, P998JJ, P998JK, P998JL, P998JM, P998JN, P998JO, P998JP, P998JQ, P998JR, P998JS, P998JT, P998JU, P998JV, P998JW, P998JX, P998JY, P998JZ, P998KA, P998KB, P998KC, P998KD, P998KE, P998KF, P998KG, P998KH, P998KI, P998KJ, P998KK, P998KL, P998KM, P998KN, P998KO, P998KP, P998KQ, P998KR, P998KS, P998KT, P998KU, P998KV, P998KW, P998KX, P998KY, P998KZ, P998LA, P998LB, P998LC, P998LD, P998LE, P998LF, P998LG, P998LH, P998LI, P998LJ, P998LK, P998LL, P998LM, P998LN, P998LO, P998LP, P998LQ, P998LR, P998LS, P998LT, P998LU, P998LV, P998LW, P998LX, P998LY, P998LZ, P998MA, P998MB, P998MC, P998MD, P998ME, P998MF, P998MG, P998MH, P998MI, P998MJ, P998MK, P998ML, P998MM, P998MN, P998MO, P998MP, P998MQ, P998MR, P998MS, P998MT, P998MU, P998MV, P998MW, P998MX, P998MY, P998MZ, P998NA, P998NB, P998NC, P998ND, P998NE, P998NF, P998NG, P998NH, P998NI, P998NJ, P998NK, P998NL, P998NM, P998NN, P998NO, P998NP, P998NQ, P998NR, P998NS, P998NT, P998NU, P998NV, P998NW, P998NX, P998NY, P998NZ, P998OA, P998OB, P998OC, P998OD, P998OE, P998OF, P998OG, P998OH, P998OI, P998OJ, P998OK, P998OL, P998OM, P998ON, P998OO, P998OP, P998OQ, P998OR, P998OS, P998OT, P998OU, P998OV, P998OW, P998OX, P998OY, P998OZ, P998PA, P998PB, P998PC, P998PD, P998PE, P998PF, P998PG, P998PH, P998PI, P998PJ, P998PK, P998PL, P998PM, P998PN, P998PO, P998PP, P998PQ, P998PR, P998PS, P998PT, P998PU, P998PV, P998PW, P998PX, P998PY, P998PZ, P998QA, P998QB, P998QC, P998QD, P998QE, P998QF, P998QG, P998QH, P998QI, P998QJ, P998QK, P998QL, P998QM, P998QN, P998QO, P998QP, P998QQ, P998QR, P998QS, P998QT, P998QU, P998QV, P998QW, P998QX, P998QY, P998QZ, P998RA, P998RB, P998RC, P998RD, P998RE, P998RF, P998RG, P998RH, P998RI, P998RJ, P998RK, P998RL, P998RM, P998RN, P998RO, P998RP, P998RQ, P998RR, P998RS, P998RT, P998RU, P998RV, P998RW, P998RX, P998RY, P998RZ, P998SA, P998SB, P998SC, P998SD, P998SE, P998SF, P998SG, P998SH, P998SI, P998SJ, P998SK, P998SL, P998SM, P998SN, P998SO, P998SP, P998SQ, P998SR, P998SS, P998ST, P998SU, P998SV, P998SW, P998SX, P998SY, P998SZ, P998TA, P998TB, P998TC, P998TD, P998TE, P998TF, P998TG, P998TH, P998TI, P998TJ, P998TK, P998TL, P998TM, P998TN, P998TO, P998TP, P998TQ, P998TR, P998TS, P998TT, P998TU, P998TV, P998TW, P998TX, P998TY, P998TZ, P998UA, P998UB, P998UC, P998UD, P998UE, P998UF, P998UG, P998UH, P998UI, P998UJ, P998UK, P998UL, P998UM, P998UN, P998UO, P998UP, P998UQ, P998UR, P998US, P998UT, P998UU, P998UV, P998UW, P998UX, P998UY, P998UZ, P998VA, P998VB, P998VC, P998VD, P998VE, P998VF, P998VG, P998VH, P998VI, P998VJ, P998VK, P998VL, P998VM, P998VN, P998VO, P998VP, P998VQ, P998VR, P998VS, P998VT, P998VU, P998VV, P998VW, P998VX, P998VY, P998VZ, P998WA, P998WB, P998WC, P998WD, P998WE, P998WF, P998WG, P998WH, P998WI, P998WJ, P998WK, P998WL, P998WM, P998WN, P998WO, P998WP, P998WQ, P998WR, P998WS, P998WT, P998WU, P998WV, P998WW, P998WX, P998WY, P998WZ, P998XA, P998XB, P998XC, P998XD, P998XE, P998XF, P998XG, P998XH, P998XI, P998XJ, P998XK, P998XL, P998XM, P998XN, P998XO, P998XP, P998XQ, P998XR, P998XS, P998XT, P998XU, P998XV, P998XW, P998XX, P998XY, P998XZ, P998YA, P998YB, P998YC, P998YD, P998YE, P998YF, P998YG, P998YH, P998YI, P998YJ, P998YK, P998YL, P998YM, P998YN, P998YO, P998YP, P998YQ, P998YR, P998YS, P998YT, P998YU, P998YV, P998YW, P998YX, P998YY, P998YZ, P998ZA, P998ZB, P998ZC, P998ZD, P998ZE, P998ZF, P998ZG, P998ZH, P998ZI, P998ZJ, P998ZK, P998ZL, P998ZM, P998ZN, P998ZO, P998ZP, P998ZQ, P998ZR, P998ZS, P998ZT, P998ZU, P998ZV, P998ZW, P998ZX, P998ZY, P998ZZ

**Other technical data:** N/A  
**Rated Input Voltage:** 200-240 V ~, 50 Hz  
**Rated Input Current:** N/A  
**Rated Input Wattage:** 110 W  
**Rated Output:** N/A  
**Protection Class:** II  
**Max. Ambient Temperature:** N/A  
**Other technical data:** N/A  
**Continued on page:** N/A **Appendix:** N/A

**Remarks:** The certification is only valid for product(s) in conjunction with the test report(s) above.  
 This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s).  
 Technical reports and documents are at the licensee holder's disposal. The sample has been tested by us with  
 listed standards and found in compliance with the Low Voltage Directive 2014/35/EC, the EMC Directive 2014/53/EC.

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.  
 Building A, Bao'an Science & Technology Park, Bao'an  
 Road, Tangshan, Shijiazhuang, Bao'an District, Shenzhen, Guangdong, China.  
 TEL: +86-755-29996192 E-mail: market@wsct.com.cn Date of Issue: 28/04/2016 (day/mo/yr)  
 FAX: +86-755-29996253 http://www.wsct.com.cn

Wang Fengling  
 Director

CE The CE marking may be used if all relevant and effective EC Directives are complied with.



Shenzhen SEM.Test Technology Co., Ltd.  
 1/F, Building A, Hongwei Industrial Park, Luixian 2nd Road,  
 Bao'an District, Shenzhen, P.R.C. (518101)

## CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

**Report No.:** STR16048003E  
**Applicant:** Shenzhen Fashion Beauty Technology Co., Ltd.  
**Address:** Room 2623, Unit A, Building One, Mei Li Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China  
**Manufacturer:** DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD  
**Address:** Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, China  
**Description of Product:** HAIR IRON  
**Model No.:** See Model List  
**Trade Name:** /  
**Test Standards:** EN 55014-1:2006+A1:2009+A2:2011  
 EN 61000-3-2:2014  
 EN 61000-3-3:2013  
 EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.



Test Laboratory

Jandy So  
 Supervisor  
 Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.  
 Tel: +86-755-33663308 Fax: +86-755-33663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

Intertek

## AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b> Shenzhen Fashion Beauty Technology Co Ltd Room 2623, Unit A, Building One, Mei Li Times Garden, Interchange of Xixiang Road And Xinhua Road, Xixiang Street, Bao'an District, SHENZHEN CITY Guangdong 518102 CHINA	<b>Manufacturer:</b> Dongguan Fashion Beauty Technology Co., Ltd Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
<b>Country:</b> China <b>Contact:</b> Mr. Jacky Deng <b>Phone:</b> +86-755-29553391 <b>FAX:</b> +86-755-27366587 <b>Email:</b> fbeauty@126.com	<b>Country:</b> China <b>Contact:</b> Mr. Zhonghua Deng <b>Phone:</b> +86-769-85162022 <b>FAX:</b> +86-769-85161322 <b>Email:</b> fbeauty@126.com
<b>Party Authorized To Apply Mark:</b> Same as Manufacturer <b>Report Issuing Office:</b> Intertek Testing Services Shenzhen Ltd. Guangzhou Branch	

Control Number: 4003728

Authorized by:

Thomas J. Patterson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than the Client as set forth in the agreement. For any use, export or damage caused by the use of this Authorization to Mark, only the Client is authorized to permit copying or distribution of this Authorization to Mark and not only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any further use of the Intertek mark for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Intertek's Testing Services and Intertek's Client are for the purpose of ensuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purpose of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
 545 East Algonquin Road, Arlington Heights, IL 60005  
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1872

**Standard(s):** UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances  
 CSA E60335-14E Issued: 2003/04/01 Ed:4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements  
 CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2-23: Particular Requirements For Appliances For Skin or Hair Care  
**Product:** Hair Straightener

**nqa**

This is to certify that the Quality Management System of

**Dongguan Fashion Beauty Technology Co., Ltd.**

Organization Code: 9144190959407804XU  
 Operation Address: Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China  
 Registered Address: Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

**ISO 9001:2008**

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.  
 The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)  
 SNQA's website: www.snqa.com.cn

Managing Director

Certificate Number: 28450

Date: 11 January 2013  
 Reissue Date: 11 January 2016  
 Valid Until: 14 September 2018  
 EAC Code: 18

IAF

UKAS

015

The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 015 held by NQA.  
 NQA is a trading name of NQA Certification Limited. Registration No 30231738. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU5 5EX, UK.  
 This certificate is the property of NQA and must be returned on request.

Tests we do to make sure the quality		
Test	Testing time	Verified
Salt Spray Tester	100000 hours	✓
Grounding Resistance Tester	100000 hours	✓
Hi-Pot Tester	100000 hours	✓
Digital Power Meter	100000 hours	✓
Aging Test Machine	100000 hours	✓
Electric Safety Test Machine	100000 hours	✓

**We attend Cosmoprof Beauty Shows in Italy, Dubai, Russia, the United States and Hong Kong every year: this is Jacky in the show. You must be familiar with his face and know how nice and responsible he is as a business man if you going to any of the Cosmoprof Beauty Show.**





#### Q&A:

1. Q: Are you a factory or trading company?

A: We are the original factory manufacturing hair tools including hair straightener, curling iron, hair dryer, hot air brush for 16 years.

2. Q: Can I have my own customized product?

A: Yes, you can customize for color, logo, design, package, carton mark, etc. as long as your order quantity is 1000pcs more. That is exactly what we do and what our job is .

3. Q: When can I get the quotation?

A: We will reply you in the first time within 24 hours. If it is an emergency, just call +86 13823651633

4. Q: How can I get a sample to check your quality?

A: Sample fee will be paid by buyer, but it will refund after placing an order with us. It usually takes 7-10days to have the samples ready.

5. Q: Can I make my own brand color?

A: YES. You can tell us the pantone No. or send us color sample chip. We can do any spay shinny effect color or water transfer color or almost any color you want.

6. Q: what about the lead time for mass production?

A: It will take about 45-60days for mass production after deposit received and all the details confirmed.

7. Q: How does your factory do regarding quality control in work?

A: Quality is priority! Every worker keeps the quality control process in mind from the very beginning to the very end:

- 1) All raw materials we used are environmental-friendly and certificated regulated.
- 2) Skilled and experienced workers care every detail when handling the producing and packing process.
- 3) Quality Control Department is specially responsible for quality checking in each process.

**You may also be interested in :**

FBT hair tools is the real and original factory for professional salon use hair tools including hair straighteners for keratin treatment, hair curling iron, hair curling tong, hot air brush, and hair dryers. Our flat irons are favored by salon supplies, beauty supplies, hair tool brand holders.

View more models from the same hair dryer family, similar to FD-160, foldable, light weight, portable, good looking and powerful for home and salon use.

<https://www.hairstraightenersupplier.com/products/Home-use-hair-dryer-FD103-1200W-foldable-dryer-good-quality-Wholesale-Amazon-Hairdressing-blow-dryer.html#.YJZMXugzZPY>

