Model No.: FD202 Material: PET MOQ: 500PCS Power: 110W, 50/60HZ,110V-220V, dual voltage Cord: 360° tangle free swivel cord, 2.65-3M(9 feet) PVC wire Plug: EU plug, US plug, UK plug, PSE plug Certification: CE, Rhos, cETLus, CCC, CB



Shell: Injection finishing Heater: high quality heater Settings: High, low, cool, off. Power: 1200W Motor: DC Dual voltage 110V-240V Cord: 2.65m tangle free swivel cord Plug: US plug, EU plug, BS plug, UK plug Certification: CE, Rhos, cETLus, CCC, CB ets Size : 195mm × 240mm × 75mm Weight : 350g Foldable: YES



Logo: Customized Wire label: Customized Technical Label: Customized Package: Customized Main markets: Western Europe, North America, Asia, Middle East Number of factory employees:80-150



Product Details:

- Light and easy carry weight
- Well made body
- Travel easy portable usage
- Salon professional usage
- Nice looking outlook
- Korea designed outlook and new developed item
- Home convenient usage

Reliable after-selling service gives you peaceful mind after purchasing.



Marketing selling points of FD202 home/salon use hair dryer:

- 1. Designed by Korea red dot winner designer.
- 2. Light weight for convenient carry.
- 3. Powerful up to 1200W wattage can give you a quick dry up on hair after washing.
- 4. Ergonomics design for comfortable holding and usage.
- 5. Customized any colors and any packages are acceptable.
- 6. Customized logo and outlook design are acceptable.
- 7. Buying directly from factory gives you a peaceful mind after purchasing.
- 8. Foldable to fit into a smaller bag.
- 9. High-Cool-Low-Heat settings give multiple choices on the functions.

Packaging & Delivery:

Packaging Details:

*gift box packing *size of GB: 10.5x30x5.4cm *24pcs/ctn *size of carton:44X31.5X34.5cm *G.W:16.2kgs *N.W: 9.6kgs *1X20GP=14500pcs *1X40GP=29000pcs 30-60 days after deposit

Delivery Detail:

Why choose us?

- (1) As a hair tools manufacturer, we have professional and experienced R&D team, full facilities from design to molding to assembly lines—including outlook design, PCB arrangement, tooling and packaging outlook design.
- (2) Reliable and strict quality control system. 100% testings will be done for all of our products before shipment to make sure every unit in perfect condition.
- (3) Competitive price. We specialize in this line as a hair tools manufacturer for 16 years, and we are confident to provide you the best quality product with reasonable price. Professional only for hair tools.
- (4) We provide you with efficient and comprehensive pre-service and after-service.
- (5) Both OEM and ODM are acceptable.
- (6) You can give us your product idea and easily tell us what you want, and we will make it come true.
- (7) Buying directly from factory give you more reasonable price and better service and a peaceful mind after purchasing.
- (8) Efficient communication and support from our professional sales consultant.







AC power source2

Shenzhen SEM.Test Technology Co., Ltd. 1/F, Building A, Hongwei Industrial Park, Lizoian 2nd Road, Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM.Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

to demonstrate the contorn	nty v	ath this EMC Directive.
Report No.	:	STR16048003E
Applicant	;	Shenzhen Fashion Beauty Technology Co., Ltd.
Address	;	Room 2623, Unit A, Buliding One, Meili Times
		Garden, Interchange of Xixiang Road and Xinhu
		Road, Xixiang Street, Bao'an District, Shenzhen,
		China
Manufacturer	4	DONGGUAN FASHION BEUTY TECHNOLOGY CO.,
		LTD
Address	:	Workshop Building 6, Huaifeng Road, Huaide
		Community, Humen Town, Dongguan, China
Description of Product	4	HAIR IRON
Model No.		See Model List
Trade Name	:	1
Test Standards	:	EN 55014-1:2006+A1:2009+A2:2011
		EN 61000-3-2:2014
		EN 61000-3-3:2013
		EN 55014-2:1997+A1:2001+A2:2008
erred test report(s) show the	at the	e product complies with the essential requirements in the

The refer above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive. Test Laboratory

F

lyso -Jandy So Supervisor Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed. Tel. -86-755-31663308 Fax. -86-755-31663309 E-mill: semidisentest.cett.cm Website: www.semilest.cett.cm

Dongami Witekolog Commun 523900, P Test Rep All: 2015 WSCT-8A WSCT-8A WSCT-8A WSCT-8A WSCT-8A WSCT-8A	rision Li Cturing inform Tushon Benzy Building O Hang R Chans Arrifish Indistantia Arrifish Indistantia	atest expiri 705/2021 (o nation Tachnology atom Road b, Dongguan By WSCT WSCT	day/mo/yr) Co, Lid
Document rev 1.0 Manufa Dongan Wishoby Consume S22900, P Test Rep MIL 2018 WSCTAR WSCTAR WSCTAR WSCTAR	inion Li 17 charing inform Paulon Ream R.China R.China Rechina	atest expiri 705/2021 (o nation Tachnology atom Road b, Dongguan By WSCT WSCT	ation date day/mo/yr) Co., Lad famide Gaungdong, Date(s)
10 Manufa Dongoan Winkchog Sciences Sciences Sciences Mit 2018 WSCT4A WSCT4A WSCT4A WSCT4A	17 cturing inform Fusion Beauxy Building 6, Hus R, Humen Town R, Chune R, C	nation Technology afong Road 1 , Dongguan, Bsaed By WSCT WSCT	day/mov/yr) Co., Lid. Staalde Guargelong. Date(s)
10 Manufa Dongoan Winkchog Sciences Sciences Sciences Mit 2018 WSCT4A WSCT4A WSCT4A WSCT4A	17 cturing inform Fusion Beauxy Building 6, Hus R, Humen Town R, Chune R, C	nation Technology afong Road 1 , Dongguan, Bsaed By WSCT WSCT	day/mov/yr) Co., Lid. Staalde Guargelong. Date(s)
Manufa Dongau Wiskchop Comman S22900, P Test Rep NSCT40A WSCT40A WSCT40A WSCT40A WSCT40A WSCT40A WSCT40A	cturing inform Tushion Beauxy Building 9, Hus R, Hussen Town R, Chus Bert(s) 10070023A 10070023A	mation Tachnology afong Road, I Dongguan, I Dong	Co., Lid. Italde Guergelong, Date(s)
Dongami Witekolog Commun 523900, P Test Rep All: 2015 WSCT-8A WSCT-8A WSCT-8A WSCT-8A WSCT-8A WSCT-8A	Tushoo Doony Dualding O, Hua N, Hamen Town R China HOTE(N) HORMEDA HORMEDA HORMEDA	Technology atlong Road, 1 , Dongguan, Dongguan, By WSCT WSCT	Ikaide Gungdong Date(s)
Dongami Witekolog Commun 523900, P Test Rep All: 2015 WSCT-8A WSCT-8A WSCT-8A WSCT-8A WSCT-8A WSCT-8A	Tushoo Doony Dualding O, Hua N, Hamen Town R China HOTE(N) HORMEDA HORMEDA HORMEDA	Technology atlong Road, 1 , Dongguan, Dongguan, By WSCT WSCT	Ikaide Gungdong Date(s)
Communication Sci2000, P Test Bep All 2018 WSCT-8A WSCT-8A WSCT-8A WSCT-8A WSCT-8A	ny, Hamen Town R China Herri(s) Herrolizia Herrolizia Herrolizia	Issaed By WSCT	Guangdong. Date(s)
523000, P Test Rep All 2012 USCT-8A USCT-8A USCT-8A USCT-8A USCT-8A	R Chess Hert(s) HEROEDA HEROEDA HEROEDA	Issued By WSCT	Date(s)
ALI 2010 WSCT-RA WSCT-RA WSCT-RA WSCT-RA WSCT-RA WSCT-RA	DEPOIDA DEPOIDA DEPOIDA	By WSCT WSCT	6
ALI 2010 WSCT-RA WSCT-RA WSCT-RA WSCT-RA WSCT-RA WSCT-RA	DEPOIDA DEPOIDA DEPOIDA	By WSCT WSCT	6
USCT-IA MSCT-IA MSCT-IA MSCT-IA MSCT-IA	16850823A 16850823A	WSCT	May 17,200
UI USCT-RA USCT-RA USCT-RA USCT-RA	16550623A		1.1
UI USCT-RA USCT-RA USCT-RA USCT-RA	16550623A		May 17, 200
08 BOCT-RAI	T, GOATCHIA	WSCT	May 17,000
BSCT-RAI		WSCT	May 17, 201 May 17, 201
DACT AND	L-16053630A	WSC7	May 17, 201
	E-160336368	WSCT	-Mec 17, 201
onizaction with the te	rada (citracen te	RE V	
a sample of the above	mantioned pro-	duct(s)	with .
tage Directive 20140	ISELL IN FMC	Directive 20	8430EU
	WASTA	-101	
	1. 1. 1. 1.	ill.	
Scation Body:	Charles and	9	
	1	11	
10	and for the	1/20	
		- M.	
es) Co., Ltd.	2	1	
	Wang Fenghing		
	organeton welds the to a sample of the above for a dappoid. The s tage Directive 2014 (Geating Bioly):	equaction web the test report(1) alor sample of the above samples and the 's doposal' the sample has been made Directore 2014.53.51, do 1944 Directore 2014.53.51, do 1944 Directore 2014.53.51, do 1944 Directore 2014.53.51, do 1944	North I

LOGO printing machine 2

≡₩-.....



AUTHORIZATION TO MARK



Testings we do for quality control 100%:

Tests we do to make sure the quality						
Test	Testing time	Verified				
Salt Spray Tester	100000 hours	 				
Grounding Resistance Tester	100000 hours	 				
Hi-Pot Tester	100000 hours	 . 				
Digital Power Meter	100000 hours	~				
Aging Test Machine	100000 hours	 				
Electric Safety Test Machine	100000 hours	 				

We attend Cosmoprof Beauty Shows in Italy, Dubai, Russia, the United States and Hong Kong every year: this is Jacky in the show. You must be familiar with his face

and know how nice and responsible he is as a business man if you going to any of the Cosmoprof Beauty Show.:)



Q&A:

1. Q: Are you a factory or trading company?

A: We are the original factory for hair tools including hair flat iron, curling iron, hair dryer, hot air brush for 16 years.

2. Q: Can I have my own customized product?

A: Yes, you can customize for color, logo, design, package, carton mark, etc. as long as your order quantity is 1000pcs or more. That is exactly what we do and what our job is .

3. Q: How and when can I get the price for the product I am interested in?

A: We will reply you in the first time within 24 hours. If it is an emergency, just call +86 13823651633

4. Q: How can I get a sample to check the quality and everything?

A: Sample fee will be paid by the buyer, but it will be refunded after placing an order with us. It usually takes 7-10days to have the samples ready.

5. Q: Can I make my own brand color?

A: YES. You can tell us the pantone No. or send us color sample chip. We can do any spay shinny effect color or water transfer color or almost any color you want.

6. Q: what about the lead time for mass production?

A: It will take about 45-60days for mass production after deposit received and all the

details confirmed.

7. Q: How does your factory do regarding quality control in work?

A: Quality is priority! Every worker keeps the quality control process in mind from the very beginning to the very end:

1) All the raw materials we are using are environmental-friendly and certificate regulated.

2) Skilled and experienced workers care every detail when handling the producing and packing process.

3) Quality Control Department is responsible for quality checking in each process.

You may also be interested in :

FBT hair tools is the original factory and manufacturer for professional salon use hair tools including hair flat irons for keratin treatment, hair curling tongs, hair curling irons, hot air brush, and hair dryers. Our flat irons are loved by salon supplies, beauty supplies, hair tool brand holders.

View more models from the same hair dryer family, similar to FD-202, foldable, light weight, portable, good looking and powerful for home and salon use.

https://www.hairstraightenersupplier.com/products/Hair-dryer-FD160-1200W-home-use-fol dable-dryer-great-quality-wholesale-Amazon-Hairdressing-China-Fac.html#.YJzIB-gzZPY

