

Shell: injection finishing or rose golden painted finishing
Plate: diamond coating plate, keratin, argan oil, nano-silver infused or customized nano titanium plates
Plate Size: 20*110mm/ inch
Heater: MCH heating system/ceramic heater or PTC heaters.
Temperature: MAX temperature 230°C/450°F or higher
Temperature display: 5 lights digital temperature display
Power: 110W, 50/60HZ, 110V-220V, dual voltage
Cord: 360° tangle free swivel cord, 2.65-3M(9 feet) PVC wire
Plug: EU plug, US plug, UK plug, PSE plug
Certification: CE, Rhos, cETLus, CCC, CB



Model name: F601HB
Material: PET
MOQ: 1000PCS
Power: 110W, 50/60HZ, 110V-220V, dual voltage
Cord: 360° tangle free swivel cord, 2.65-3M(9 feet) PVC wire or customized
Plug: EU plug, US plug, UK plug, PSE plug
Certification: CE, Rhos, cETLus, CCC, CB



Shell: Injection finishing or painted finishing according to customer requirements.

Heater: high quality heater ---PTC or MCH heaters.

Temperature settings: up to 230C/ 450F

Power: 120V-240V, 50/60HZ,115W91MIN) / 60W(steady)

Motor: /

Dual voltage 110V-240V

Cord: 2.65m tangle free swivel cord or customized length and material

Plug: US plug, EU plug, BS plug, UK plug

Certification: CE, Rhos, cETLus, CCC, CB ets

Plate size : 28mm × 105mm

Weight : 380g

Foldable: No



Logo: Customized
 Wire label: Customized
 Technical Label: Customized
 Package: Customized
 Main markets: Western Europe, North America, Asia, Middle East
 Number of factory employees: 80-150



Marketing selling points of F601HB:

- ✓ Super S plate for straightening and easy styling.
- ✓ Best choice for straightening and styling, and household usage;
- ✓ Championship of Germany Salon Star show,
- ✓ Won the salon tools championship in Germany in 2016

- ✓ Korea ceramic super smooth coating or titanium plate for selection.
- ✓ High quality nano silver infused mirror titanium heating plates can leave your hair with shiny and silky effect.
- ✓ Auto-shut off function---60 minutes.
- ✓ Temperature range: Up to 240C/470F---160, 180, 200, 220, 230 °C
- ✓ Fast heating up: 30S heats up to 200C/390F
- ✓ Safety lock design
- ✓ LCD/digital display design
- ✓ Cooling tip and cooling handle design
- ✓ 360 rotating swivel power cord---2.65m or 3m---tangle free.
- ✓ Power: 60W
- ✓ Automatic shutdown - 1 hour
- ✓ OEM ODM service are available
- ✓ Self owned PCB design team, mold development team, and assembly lines.
- ✓ Packaging design service
- ✓ Logo design service
- ✓ Mold development and design service
- ✓ 100% customization service to help to build your brand.



Packaging & Delivery:

Packaging Details:	*gift box packing *size of GB: 10.5x30x5.4cm *24pcs/ctn *size of carton:44X31.5X34.5cm *G.W:16.2kgs *N.W: 9.6kgs *1X20GP=14500pcs *1X40GP=29000pcs
Delivery Detail:	30 days after deposit

How to use:

1, STRAIGHTENING HAIR

For optimum styling, hair should be clean and dry.

1. Starting with sectioning the hair into strands of not more than 1/2-inch thick and 2 inches wide.
2. Take one section of hair at a time and place iron as close to the root as possible and slide through to the ends without stopping.
3. Do not pull through too quickly, straightening each section once and slowly will give a far better result than straightening each section multiple times quickly.
4. The S plate curve can give a very nice glide on the hair, so it is easier for people to style their hair effortlessly.
5. Repeat this process until all sections are completed.



CREATING CURLS AND FLIPS

For optimum styling, hair should be clean and dry.

1. Starting with sectioning the hair into strands of not more than 1/2-inch thick and 2 inches wide.
2. Place the iron as close to the root as possible and slide through the hair slowly in a downward motion simultaneously twisting and turning the iron.
3. Do not curl too quickly, curling each section once and slowly will give a far better result than curling each section multiple times quickly.
4. Repeat this process until all sections are completed.



Why choose us?

- (1) As a hair tools manufacturer, we have professional and experienced R&D team, full facilities from design to molding to assembly lines—including outlook design, PCB arrangement, tooling and packaging outlook design.
- (2) Reliable and strict quality control system. 100% testings will be done for all of our products before shipment to make sure every unit in perfect condition.
- (3) Competitive price. We specialize in this line as a hair tools manufacturer for 16 years, and we are confident to provide you the best quality product with reasonable price. Professional only for hair tools .
- (4) We provide you with efficient and comprehensive pre-service and after-service.
- (5) Both OEM and ODM are acceptable.
- (6) You can give us your product idea and easily tell us what you want, and we will make it come true.
- (7) Buying directly from factory give you more reasonable price and better service and a peaceful mind after purchasing.
- (8) Efficient communication and support from our professional sales consultant.



INJECTION MACHINES



MOULD MACHINE



MOULD SHOP



MOULDS2




AC power source 1



Electrical parameter tester



Electrical parameter tester




Life test machine




Power cord flexing test system



Salted steam testing machine



Voltage withstand tester



LOGO printing machine 2



AC power source 2

CERTIFICATION
Of Compliance

WSCT

Certificate No. WSCT16050000121ES Page 0001

Brand Name: ASTRA Order No. WSCT-R&E-2016020 Document revision: 1.0 Latest expiration date: 17/05/2021 (day/month/year)

Applicant information
Shenzhen Fashion Beauty Technology Co., Ltd.
Room 2023 Unit A, Building one, Mei Li Times Garden,
Interchange of Xi Xiang Road and Xian Yu Road XJ
Xiang Street, Bao'an District Shenzhen China 518102

Manufacturing information
Dongguan Fashion Beauty Technology Co., Ltd.
Workshop Building 6, Huaifeng Road, Huaide
Community, Humen Town, Dongguan, Guangdong,
523906, P.R.China

Test Mark

Standard(s)	Test Report(s)	Issued By	Date(s)
EN 60335-2-23: 2003 + A1: 2008 + A11: 2013 + A2: 2015	WSCT-SEA160500021A	WSCT	May 17, 2016
EN 60335-1: 2012 + A11: 2014	WSCT-SEA160500021A	WSCT	May 17, 2016
EN 62220: 2008	WSCT-SEA160500021A	WSCT	May 17, 2016
EN50104-1: 2006+A2: 2009+A2: 2010	WSCT-R&E-16053650A	WSCT	May 17, 2016
EN50104-2: 1997+A1: 2003+A2: 2008	WSCT-R&E-16053650A	WSCT	May 17, 2016
EN 61000-3-2: 2014	WSCT-R&E-16053650A	WSCT	May 17, 2016
EN 61000-3-3: 2011	WSCT-R&E-16053650A	WSCT	May 17, 2016

Certified Product: Curling iron
Type Designation: F998A, F998B, F998B+, F999C, F998D, F998E, F998F, F998G, F998H
Rated Input Voltage: 200-240 V~, 50 Hz
Rated Input Current: N/A
Rated Input Wattage: 110 W
Rated Output: N/A
Protection Class: II
Max. Ambient Temperature: N/A
Other technical data: N/A
Continued on page: N/A **Appendix:** N/A

Remarks: The certification is only valid for product(s) in conjunction with the test report(s) above.
This certificate of conformity is based on an evaluation of a sample of the above mentioned product(s).
Technical reports and documents are at the licensee holder's disposal. The sample has been tested by us with
listed standards and found in compliance with the Low Voltage Directive 2014/35/EU, the EMC Directive 2014/53/EU.

Certification Body:

World Standardization Certification & Testing (Shenzhen) Co., Ltd.
Building A, Baoan Science & Technology Park, Baoan
Road, Tangliu, Shiyuan, Bao'an District, Shenzhen, Guangdong, China
TEL: +86-755-26996192 E-mail: market@wsct.org.cn Date of issue: 28/04/2016 (day/month/year)
FAX: +86-755-26996253 http://www.wsct-cert.com

Wang Fengfeng

WSCT16050000121ES

CE The CE marking may be used if all relevant and effective EC Directives are complied with.



Shenzhen SEM Test Technology Co., Ltd.
1/F, Building A, Hongwei Industrial Park, Luoxian 2nd Road,
Bao'an District, Shenzhen, P.R.C. (518101)

CERTIFICATE OF CONFORMITY

Certificate No.: SEM16046212

The following product has been tested by Shenzhen SEM Test Technology Co., Ltd. with the listing standards and found in conformity with the EC Directive 2014/30/EU. It is possible to use CE marking to demonstrate the conformity with this EMC Directive.

Report No. : STR16048003E
Applicant : Shenzhen Fashion Beauty Technology Co., Ltd.
Address : Room 2623, Unit A, Building One, Meili Times Garden, Interchange of Xixiang Road and Xinhua Road, Xixiang Street, Bao'an District, Shenzhen, China
Manufacturer : DONGGUAN FASHION BEUTY TECHNOLOGY CO., LTD
Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, China
Description of Product : HAIR IRON
Model No. : See Model List
Trade Name : /
Test Standards : EN 55014-1:2006+A1:2009+A2:2011
EN 61000-3-2:2014
EN 61000-3-3:2013
EN 55014-2:1997+A1:2001+A2:2008

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of conformity according to Annex 1 of the Directive.

Test Laboratory



Jandy So
Supervisor
Date of Issue: Apr 19, 2016

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.
Tel: +86-755-31663308 Fax: +86-755-31663309 E-mail: sem@semtest.com.cn Website: www.semtest.com.cn

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shenzhen Fashion Beauty Technology Co Ltd	Manufacturer: Dongguan Fashion Beauty Technology Co., Ltd
Address: Room 2623, Unit A, Building One, Meil Times Garden, Interchange of Xixiang Road And Xinhua Road, Xixiang Street, Baoan District, SHENZHEN CITY Guangdong 518102 CHINA	Address: Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan, Guangdong, 523900 China
Country: China	Country: China
Contact: Mr. Jacky Deng	Contact: Mr. Zhonghua Deng
Phone: +86-755-29553391	Phone: +86-769-85162022
FAX: +86-755-27365587	FAX: +86-769-85161322
Email: beauty@126.com	Email: beauty@126.com
Party Authorized To Apply Mark: Same as Manufacturer	
Report Issuing Office: Intertek Testing Services Shenzhen Ltd. Guangzhou Branch	

Control Number: 4003728

Authorized by:

Thomas J. Patterson, Certification Manager




This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability for any party other than the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions set out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow-up Services are for the purpose of ensuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1872

Standard(s):	UL 859 Issued: 2012/06/20 Ed: 11 Rev: 2013/12/17 Household Electric Personal Grooming Appliances
	CSA E60335-14E Issued: 2003/04/01 Ed: 4 (R2007) Household and Similar Electrical Appliances - Safety Part1: General Requirements
	CSA E60335-2-23 Issued: 2005/01/01 Ed: 5 (R2013) Household and Similar Electrical Appliances - Safety - Part 2-23: Particular Requirements For Appliances For Skin or Hair Care
Product:	Hair Straightener

Certificate of Registration



This is to certify that the Quality Management System of

Dongguan Fashion Beauty Technology Co., Ltd.

Organization Code : 9144190059407804XU

Operation Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China
Registered Address : Workshop Building 6, Huaifeng Road, Huaide Community, Humen Town, Dongguan City, Guangdong Province, China

applicable to

Design, manufacture and sale of hair straightener, curling iron and hair dryer (within the scope of 3C certification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2008

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.

The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)
SNQA's website : www.snqa.com.cn

M. Gao
Managing Director

Certificate Number **28450**

Date: 11 January 2013
Reissue Date: 11 January 2016
Valid Until: 14 September 2018
EAC Code: 18



The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by the accreditation certificate number 212 held by NQA.
NQA is a trading name of NQA Certification Limited, Registration No 20201756. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, LU5 5EX, UK.
This certificate is the property of NQA and must be returned on request.

Testings we do for quality control 100%:

Tests we do to make sure the quality		
Test	Testing time	Verified
Salt Spray Tester	100000 hours	✓
Grounding Resistance Tester	100000 hours	✓
Hi-Pot Tester	100000 hours	✓
Digital Power Meter	100000 hours	✓
Aging Test Machine	100000 hours	✓
Electric Safety Test Machine	100000 hours	✓

We attend the Cosmoprof Beauty Show each year in Italy, Dubai, USA, Russia, Hongkong. If you come to any of the exhibitions, you will be familiar with Jacky, and he is such a responsible and reliable person.]



Q&A:

1. Q: Are you a factory or trading company?

A: We are the original factory for hair tools including hair flat iron, curling iron, hair dryer, hot air brush for 16 years.

2. Q: Can I have my own customized product?

A: Yes, you can customize for color, logo, design, package, carton mark, etc. as long as your order quantity is 1000pcs or more. That is exactly what we do and what our job is .

3. Q: How and when can I get the price for the product I am interested in?

A: We will reply you in the first time within 24 hours. If it is an emergency, just call +86 13823651633

4. Q: How can I get a sample to check the quality and everything?

A: Sample fee will be paid by the buyer, but it will be refunded after placing an order with us. It usually takes 7-10days to have the samples ready.

5. Q: Can I make my own brand color?

A: YES. You can tell us the pantone No. or send us color sample chip. We can do any spay shinny effect color or water transfer color or almost any color you want.

6. Q: what about the lead time for mass production?

A: It will take about 45-60days for mass production after deposit received and all the details confirmed.

7. Q: How does your factory do regarding quality control in work?

A: Quality is priority! Every worker keeps the quality control process in mind from the very

beginning to the very end:

- 1) All the raw materials we are using are environmental-friendly and certificate regulated.
- 2) Skilled and experienced workers care every detail when handling the producing and packing process.
- 3) Quality Control Department is responsible for quality checking in each process.

You may also be interested in :

FBT hair tools is the original factory and manufacturer for professional salon use hair tools including hair flat irons for keratin treatment, hair curling tongs, hair curling irons, hot air brush, and hair dryers. Our valued customers include salon supplies, beauty supplies, hair tool brand holders and they love our products.

View more models from the same hair flat iron family, similar to F601HB , powerful, nice looking, smooth on hair gliding---F601HX

<https://www.hairstraightenersupplier.com/products/X-styler-2-in-1-hair-straightener-and-curling-iron-F601HX.html#.YKYWPegzZPY>

